

MARPÊCHE



SILSTAR®

Plaway®
FISHING SPORTS

MAIORA
INTELLIGENT FISHING



DAIKICHI

NESA
LURES



FABIO ZENI
TACKLE DESIGN



Mazzaferro

2022

MARPÊCHE

CONDIÇÕES DE VENDA

SILSTAR

Playway

- 1 - Os preços desta Lista vigoram desde 01 de janeiro de 2022. Podem ser alterados sem aviso prévio.
- 2 - Os Preços desta Lista serão adicionados do IVA em vigor.
- 3 - O valor de **Faturação mínima é de EUR 50,00.**
- 4 - Os Pagamentos serão efetuados para o nosso escritório ou depositados directamente nas nossas contas bancárias abaixo indicadas, com envio do comprovativo para o mail: **geral@marpeche.com**
Banco Millennium BCP - NIB 0033 0000 0000 2014 788 05
- 5 - Os prazos e descontos são os seguintes:
A pronto pagamento / contra entrega - 5% Desconto
A 30 dias - 3% Desconto
A primeira venda é sempre a pronto pagamento
Não vendemos a prazos superiores a 45 dias
- 6 - As mercadorias viajam por conta e risco do cliente.
O transporte é por conta do cliente. **Para vendas inferiores a 100 EUROS debitamos 5 EUROS de transporte.**
Para vendas superiores a 100 EUROS, os portes, no continente, são pagos por nós. Este transporte tem seguro por remessa quando as avarias ou falhas forem reclamadas ao transportador no ato da receção. Se o cliente não fizer a reclamação no ato da receção, perde o seguro.
- 7 - Não vendemos à consignação.
- 8 - As devoluções serão aceites até aos 15 dias da data da fatura, acompanhadas da nota de devolução.
- 9 - A Garantia que damos é contra defeitos de fabrico. Cobre peças e mão de obra. A garantia não cobre o dano accidental, uso incorreto ou negligência.
- 10 - As reparações deverão vir acompanhadas de nota explicativa. O custo e portes são debitados.
- 11 - Nas exportações os preços desta lista são EX-worts e isentos.

MAJORA
INTELLIGENT FISHING



DAIKICHI

NESEA
LURES



FABIO ZENI
TACKLE DESIGN



Mazzaferro

A scenic photograph of two fishermen silhouetted against a vibrant sunset sky. They are standing on a rocky outcrop in the water, holding long fishing rods that extend into the air. The sky is a mix of orange, pink, and purple, with the sun low on the horizon. The water is calm, reflecting the colors of the sky. The overall mood is peaceful and serene.

SILSTAR[®]

Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur
							
3000.400	GRIZZLY	4,00	4	5-20	113	205g	
3000.500	GRIZZLY	5,00	5	5-20	113	325g	

							
3016.600	Superflex	6,00	6	10-30g	144	300g	

							
3024.800	X-Perfomance	8,00	8	5-30g	113	915g	

CANAS TEL

	Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur
	3100.303	Grizzly	3,00	3	5-20g	113	138g	
	3100.503	Grizzly	5,00	5	5-20g	113	386g	
	3104.500	X-Performance	5,00	5	5-30g	115	405g	
	3104.600	X-Performance	6,00	6	5-30g	115	620g	
 	3111.400	CARBODYNAMIC power wind	4,00	4	20-50g	118	190g	
	3111.500	CARBODYNAMIC power wind	5,00	5	20-50g	120	270g	
	3111.600	CARBODYNAMIC power wind	6,00	6	20-50g	122	380g	
	3115.180	Grizzly	1,80	5	5-30g	46	105g	
	3116.600	Superflex	6,00	6	10-30g	145	350g	
	3117.241	Grizzly	2,40	6	30-60g	62	180g	
	3118.380	X-Performance	3,80	5	regulável	94	312g	



Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur	
3130.390	Carbodynamic Lake-1	3,90	5	8-15g	128	270g		
3159.180	Carbodynamic	1,80	6	5-20g	40	134g		
3219.350	TELEPOWER	3.50	4	50-100g	108	322g		
3219.450	CARBONSURF	4.50	5	100-200g	138	730g		
3230.270	Carbodynamic	2,70	5	20-70g	102	210g		
3342.450	Specialist Surf	4,50	5	120-200g	120	530g		



CANAS 2-PCS

	Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur
								
	3503.240	X-Perfomance	2,40	2	25-30g	125	217g	
								
	3510.180	Grizzly	1,80	2	5-20g	95	180g	
								
	3510.210	Grizzly	2,10	2	10-30g	111	190g	
								
	3513.240	Cross wonder spin	2,40	2	40-80g	1,25	315	
								
	3513.270	Cross wonder spin	2,70	2	45-80g	1,40	370	
								
	3514.270	Fanatic	2,70	2	60-160g	140	297g	
								
	3517.210	Cross wonder spin	2,10		40-80g	1,10	225	

Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur
3521.300	Carbodynamic	3,00	2	30-60g	156	270g	
3531.180	Carbodynamic pilk	1,80	2	up-180g	95	190g	
3538.270	Carbodynamic lure	2,70	2	15-40g	140	200g	
3541.150	Carbodynamic Jigg	1,80	2	30-lb	115	300g	
3560.270	Carbodynamic Fly	2,70	2	#6/7	140	123g	
3567.198	Superflex Bass	1,98	1	x-fast	198	124g	
3672.360	PROFLEX POWER	3.60	2	200g	175	655g	



CANAS 3-PCS

Referência	Modelo	Mts	Partes	Acção	cm	Peso	Eur
------------	--------	-----	--------	-------	----	------	-----



3660.450	Surf casting	4,50	3	100-200g	157	700g	
----------	--------------	------	---	----------	-----	------	--



3662.500	Carbodydynamic Atlantic	5,00	3	100-220g	167	660g	
----------	-------------------------	------	---	----------	-----	------	--



3665.420	Carbodydynamic "Hybrid"	4,20	3	100-200g	147	550g	
----------	-------------------------	------	---	----------	-----	------	--

Referência	Modelo	Recup.	Rol.	Power	Bobines	Cap. linha	Euros
------------	--------	--------	------	-------	---------	------------	-------



EMOTION FD 6000



SPACE SURF FD8000



SENZO MATRIX FD8000



2851.760	EMOTION FD 6000	4,7:1	6+1	15kg	2	0,35/100
2470.180	SPACE Surf FD8000	4,6:1	9+1	15kg	2	0,20/350
						0,35/350
2834.680	SENZO MATRIX FD8000	4,6:1	5+1	10kg	2	0,40/300

CARRETOS

Referência	Modelo	Recup.	Rol.	Power	Bobines	Cap. linha	Euros
2425.930	VIPER CX RD3000	5,1:1	8+1	7kg	2	0,30/100	
2223.140	OPTIMUS FD 4000	4,9:1	10+1	8kg	2	0,25/210	



VIPER CX RD3000



OPTIMUS FD 4000

Referência	Modelo	Recup.	Rol.	Power	Bobines	Cap. linha	Euros
2116.030	SNIPER FD 3000 + fio	5,1:1	1	8kg	1	200 x 0,20	
2116.140	RADER FD 4000 + fio	5,2:1	1	5kg	1	180 x 0,30	
2116.150	RADER FD 5000 + fio	4,9:1	1	6kg	1	220 x 0,35	
2116.160	RADER FD 6000 + fio	4,9:1	1	8kg	1	210 x 0,40	
3994.060	SPECIAL FD 6000 + fio	5,2:1	1	10kg	.1	100 x 0,60	



RADER FD



SNIPER FD 3000



SPECIAL FD 6000

CARRETOS




TIERRA 450 RD

Referência	Modelo	Recup.	Rol.	Power	Bobines	Cap. linha	Euros
2134.450	TIERRA 450 RD	5.0:1	3+1	7kg	2	0,35/180	
2452.435	TYPHOON II FD3500	5.2:1	3+1		2	0,30/150	
2452.460	TYPHOON II FD6000	5.2:1	3+1		2	0,37/210	



TYPHOON II FD6000

Referência	Modelo	Recup.	Rol.	Power	Bobines	Cap. linha	Euros
2900.020	FORCE ONE 20lb	3,6/1,6:1	9	30kg	1	20lb/920	
2900.030	FORCE ONE 30lb	3,6/1,6:1	9	38kg	1	30lb/935	



CONJUNTOS

	Referência	Modelo				Euros
	3993.001	Conjunto 2-pcs TAKTIQ Spin	2,10m	10-20g	+FD 4000	
	3900.350	Conjunto Tel	3,50m	50-100g	+FD 6000	
						
						
	3991.000	Conjunto Surf - 3 partes	4,50m	200g	+ FD 7000	

PROTECÇÃO TOTAL - CARTEIRA ZIPLOCK DE 10-PCS

						Referência	Modelo				Euros
		MINI-BARB			ROUND BENT	61031.020	Mini-Barb	20	bronze	patilha	
		MINI-BARB			ROUND BENT						
		MINI-BARB									
		BAIT HOLDER			CHINU	64340.500	Bait holder	5/0	nickel	argola	
		BAIT HOLDER			CHINU						
		BAIT HOLDER			CHINU						
		BAIT HOLDER			CHINU						
		BAIT HOLDER			CHINU	65210.006	Round bent	06	nickel	patilha	
						65210.008	Round bent	08	nickel	patilha	
		BAIT HOLDER			MARUSEIGO	69624.002	Chinu SM	02	black nickel	patilha	
		BAIT HOLDER				69624.006	Chinu SM	06	black-nickel	patilha	
		BAIT HOLDER				69624.010	Chinu SM	10	black-nickel	patilha	
		BAIT HOLDER									
						69714.008	Maruseigo	08	black-nickel	patilha	

BOIAS DE Balsa

Referência	Tipo	Peso	EUR
------------	------	------	-----



6201.020	Boia de Espuma	20g	
6201.060	Boia de Espuma	60g	
6201.075	Boia de Espuma	75g	

Referência	Tipo	Peso	EUR
------------	------	------	-----



6167.080	Boia bolacha mod 67	8g	unid
6167.012	Boia bolacha mod 67	12g	unid



Referência	Tipo	Peso	EUR
------------	------	------	-----

6176.080	Boia inglesa mod 76	8g	unid
6176.120	Boia inglesa mod 76	12g	unid

Referência	Tipo	Peso	EUR
------------	------	------	-----



6202.400	Boia de Antena	4,00g	
6202.600	Boia de Antena	6,00g	
6202.800	Boia de Antena	8,00g	



6210.300	Antena Multicolor	3,00g	
6210.400	Antena Multicolor	4,00g	
6210.500	Antena Multicolor	5,00g	

LINHAS



Referência	Modelo	Origem			mts	Cor	Euros
1061.030	Extra Marine	Europa	0,30	7,00	1000	branco	
1061.035	Extra Marine	Europa	0,35	9,00	1000	branco	
1061.040	Extra Marine	Europa	0,40	11,40	1000	branco	
1061.045	Extra Marine	Europa	0,45	14,35	850	branco	
1115.023	Master Classic	China	0,230	3,82	600	violeta	
1115.026	Master Classic	China	0,261	4,64	600	violeta	
1130.020	Tournament	China	0,200	2,95	300	verde	
1130.023	Tournament	China	0,230	3,82	300	verde	
1130.026	Tournament	China	0,261	4,64	300	verde	
1179.016	Match team - Free memory	Europa	0,16	2,20	300	branco	
1179.020	Match team - Free memory	Europa	0,20	3,60	300	branco	
1179.025	Match team - Free memory	Europa	0,25	5,60	300	branco	
1179.030	Match team - Free memory	Europa	0,30	7,20	300	branco	
1179.035	Match team - Free memory	Europa	0,35	9,40	300	branco	
1179.040	Match team - Free memory	Europa	0,40	11,90	300	branco	
1185.012	Match Team	Japão	0,12	1,50	100x10		
1185.014	Match Team	Japão	0,14	2,10	100x10		
1185.016	Match Team	Japão	0,16	2,50	100x10		
1185.018	Match Team	Japão	0,18	3,00	100x10		
1185.020	Match Team	Japão	0,20	3,60	100x10		
1185.022	Match Team	Japão	0,22	4,60	100x10		
1185.032	Match Team	Japão	0,32	9,00	100x10		
1190.008	FluorCarbon- fresh water	Japão	0,083	0,75	50		
1190.009	FluorCarbon- fresh water	Japão	0,090	0,96	50		
1190.012	FluorCarbon- fresh water	Japão	0,117	1,43	50		
1190.013	FluorCarbon- fresh water	Japão	0,128	1,76	50		
1195.030	Sea Eagle	Europa	0,30	7,20	300	Fluor yellow	
1195.035	Sea Eagle	Europa	0,35	9,40	300	Fluor yellow	
1195.040	Sea Eagle	Europa	0,40	11,40	300	Fluor yellow	
1200.020	FluorCarbon	Japão	0,200	2,73	50		
1200.022	FluorCarbon	Japão	0,223	3,14	50		
1200.024	FluorCarbon	Japão	0,243	3,41	50		

LINHAS




Referência	Modelo	Origem			mts	Cor	Euros
1305.020	Profi Tech	Europa	0,20	3,60	150	cinza	
1305.025	Ptofi Tech	Europa	0,25	5,50	150	cinza	
1305.030	Profi Tech	Europa	0,30	7,70	150	cinza	
1305.035	Profi Tech	Europa	0,35	10,00	150	cinza	
1305.040	Profi Tech	Europa	0,40	13,50	150	cinza	
1306.018	PT Dyneema - braid	Europa	0,18	14,80	115	verde esc	
1306.030	PT Dyneema - braid	Europa	0,30	26,40	115	verde esc	
1306.035	PT Dyneema - braid	Europa	0,35	32,80	115	verde esc	
1311.018	Absolute Vacuum	Europa	0,18	3,90	200	Claro	
1333.215	Refrax Zero 100% Fluor	Europa	0,21	10-lbs	100		
1333.250	Refrax Zero 100% Fluor	Europa	0,25	13-lbs	100		
1333.300	Refrax Zero 100% Fluor	Europa	0,30	18-lbs	100		
1333.350	Refrax Zero 100% Fluor	Europa	0,35	23-lbs	100		



LINHAS FIBRA 8 STRAND

Referência	Modelo	Origem			mts	Cor	Euros
1355.035	PE Braid 8-tranças	Italia	0,35	28,50	300	amarelo	
1355.040	PE Braid 8x Super Round	Italia	0,40	39,90	300	amarelo	



Referência	Modelo	Peso	Tam	anzol	Euros
6002.120	JIG + octopus	120g	7,7+10cm	anzol 4/0	
6003.100	JIG + octopus	100g	7,4+10cm	anzol 4/0	
6007.060	JIG + octopus	60g	6,3+ 9cm	anzol 3/0	
6008.150	JIG + octopus	150g	8,5+12cm	anzol 5/0	
6009.150	JIG + octopus	150g	8,5+12cm	anzol 5/0	



Referência	Modelo	Peso	Tam	anzol	Euros
6016.080	JIG Kabura	80g	verm/preto+laranja/amarelo		
6016.100	JIG Kabura	100g	verm/preto+laranja/amarelo		
6017.120	JIG Kabura	120g	prata/preto+verm/amarelo		
6018.040	JIG Kabura	40g	branco lumo+branco		
6018.120	JIG Kabura	120g	branco lumo+branco		



PEIXE - HQ WOBBLER

Referência	Modelo	Peso	Tam	anzol	Euros
6803.008	Peixe - HQ Wobbler flutuante	12cm x 23g			

DIVERSOS

Referência	Modelo	Tam	Euros
------------	--------	-----	-------



4000.138	saco para canas	1,38m	
----------	-----------------	-------	--

Referência	Modelo	Tam	Euros
------------	--------	-----	-------



9990.015	t-shirt SILSTAR	M-L	
----------	-----------------	-----	--



4000.405	bolsa para carretos		
----------	---------------------	--	--



9990.002	auto-colante SILSTAR	12x8cm	
9990.003	auto-colante SILSTAR	25x15cm	
9990.004	auto-colante SILSTAR	50x9cm	



CANAS

Referência	Mts	Partes	Acção	cm	Peso	Eur
						
2 Kit 4 elementos e saco de canas inc.						
						
5092.130	13,00 m	10			910 gr	

MAX POWER XH ACTION

						
5033.450	4,50 m	5	X-Heavy		190 gr	

HERCULES HM MULTI-LAYER STRUCTURE

						
5060.600	6,00 m	6	A10-60		265 gr	

Referência	Mts	Partes	Acção	cm	Peso	Eur
------------	-----	--------	-------	----	------	-----

HERCULES HM MULTI-LAYER STRUCTURE



5160.600	6,00 m	6	B30-80	360 gr
----------	--------	---	--------	--------



Power = 5kg

KAIS 5170SEA REINFORCED CARBON - ULTRA STRONG

5170.500	5,00 m	5	B25-75	380 gr
----------	--------	---	--------	--------



Power = 5kg

KAIS 5070SEA REINFORCED CARBON



5070.400	4,00 m	4	B 25-75	225 gr
5070.600	6,00 m	6	B 25-75	490 gr

5170.603	6,00m - montada c/ FUJI	6	B 25-75	535 gr
----------	-------------------------	---	---------	--------



BAMBOO

5160.520	5,20 m	8	MEDIUM	320 gr
----------	--------	---	--------	--------

CANAS 1-2 PCS

	Referência	Mts	Partes	Acção	cm	Peso	Eur
CUIABÁ							
							
	5506.150	1,50 m	1	4/6 Lbs		180 gr	
BUZIOS							
							
	5576.185	1,85 m	1	17 / 20 Lbs		105 gr	
FIBRA DE VIDRO							
							
	5610.195	Fibra de vidro 1,95cm	2	forte		300g	
KVSTICK							
							
	5595.195	1,95 m	2	5 / 20 Lbs		270 gr	
	5595.210	2,10 m	2	5 / 20 Lbs		285 gr	

Referência	Mts	Partes	Acção	cm	Peso	Eur
						
5591.180	SUPER JIGGING	1,80	2	50lbs-80lbs	490g	
						
5593.175	LAGOS JIGGING	1,75	2	150-400g	370g	
						
5593.195	LAGOS JIGGING	1,95	2	100-250g	370g	

CANAS 1-2 PCS



Referência	Mts	Partes	Acção	cm	Peso	Eur
FR 4	DT4 - 80m	1	3-4	80 gr		
FR 8	DT8 - 100m	1	7-8	110 gr		

TWIN SPEED XX



5855.180	1,80 m	2	10 / 20 Lbs	125 gr		
5855.182	1,80 m - punho pistola	2	10 / 20 Lbs	125 gr		

TWIN SPEED XX



5850.270	2,70 m	3	10 / 30 Lbs	340 gr		
----------	--------	---	-------------	--------	--	--

Fio interior

EGING SQUID ROD



Canna in 2 pezzi per la pesca ai cefalopodi da riva o dalla barca. Ideale per lanciare Egi fino a 30g a grandi distanze, grazie al cimino ultrasensibile vi permetterà di avvertire anche le mangiate più lievi.



Codice	Lunghezza	Sezioni	Azione	Ingombro
28079901	180cm	2	Medium	95cm
28079902	200cm	2	Medium	105cm
28079903	220cm	2	Medium	115cm



ENTERPRISE XS BOLO & POLE

ENTERPRISE **seXS**

Canna telescopica robusta in fibra e kevlar intrecciato, disponibile sia come canna fissa che montata a bolognese, ideale sia in acqua dolce che salata per svariati tipi di pesche.



Codice	Lunghezza	Sezioni	Modello	Ingombro
28060013	300cm	3	BOLO	115cm
28060014	400cm	4	BOLO	115cm
28060015	500cm	5	BOLO	115cm



**PHENOM
TELEADJUSTABLE RODS**

PHENOM

Canna da torrente compatta e robusta, dal cimino sensibile e capace di tenere il pescatore in costante contatto con l'esca. L'ingombro ridotto permette un trasporto comodo anche in mezzo al bosco più fitto.

NEW


Codice	Lunghezza	Sezioni	Grammature	Ingombro
27080063	330cm	6	10/30g	83cm
27080064	390cm	7	10/30g	83cm
27080065	470cm	7	10/30g	106cm


**ESSENTIA
BOLO & POLE**

Robusta ed economica canna telescopica in fibra disponibile sia come canna fissa che montata a bolognese, ideale per la pesca in acqua dolce come in quella salata.



28020000	300cm	3	POLE	114cm
28020001	400cm	4	POLE	114cm
28020002	500cm	5	POLE	114cm
28020003	600cm	6	POLE	114cm

28060000	300cm	3	BOLO	120cm
28060001	400cm	4	BOLO	120cm
28060002	500cm	5	BOLO	120cm



ANZOIS

	Referencia	Modelo	Nº	Nº de peças	Eur
	60265.000	anzol	M-265	8-10-12-14	cx50
	62204.000	anzol	2204-N	8-12	cx50
	6265R.000	anzol	M-265-red	10	cx50
	65081.000	anzol	5081-N	12	cx50
	65412.000	anzol	R-5411-N	10-12	cx50
	65425.000	anzol	5425-N	10-16	cx50
	66232.000	anzol	6232	16-22-24	cx50
	66265.000	anzol	265-BK	10-12	cx50

ANZOIS

Referencia	Modelo	Nº	Nº de peças	Eur
------------	--------	----	-------------	-----


61100.013	MARUTO 1100-TIN	013	cart 100	
61100.014	MARUTO 1100-TIN	014	cart 100	
61100.016	MARUTO 1100-TIN	016	cart 100	

61150.016	MARUTO 1150-TIN	016	cart 100	
61150.018	MARUTO 1150-TIN	018	cart 100	

61356.006	MARUTO 1356-BL	006	cart 100	
61356.020	MARUTO 1356-BL	020	cart 100	

62316.008	MARUTO TC-2316	008	cart 100	
62316.009	MARUTO TC-2316	009	cart 100	
62316.017	MARUTO TC-2316	017	cart 100	

6193.800	MARUTO SS-193-TUNA	8/00	5pcs	
6193.900	MARUTO SS-193-TUNA	9/00	5pcs	



Referencia	Modelo	Nº	Nº de peças	Eur
------------	--------	----	-------------	-----

62813.000	anzol	2813-SM	8	cart 10
-----------	-------	---------	---	---------

6903.000	anzol	6903	10-12	cart 10
----------	-------	------	-------	---------

69443.000	anzol s/ Barbela	9443	12-14	car 10
-----------	---------------------	------	-------	--------

69543.000	anzol	9543	16	cart 10
-----------	-------	------	----	---------


6992.000	fateixas	6992	4-6-8	cx 100
----------	----------	------	-------	--------

2323R BN ■ Black Nickel



Amo a curvatura tonda e occhiello con microardiglione e punta affilata chimicamente. Struttura robusta indispensabile per catture impegnative in acque dolci a ledgering innescando bigattini, vermi o mais e in saltwater per saraghi e orate.

DAIKICHI




3679 BN ■ Black Nickel

NEW



Amo black nickel forgiato con ardiglione sul gambo per una perfetta tenuta dell'esca sull'amo. La punta rientrante garantisce una perfetta presa in fase di combattimento. Ideale per la pesca con esca viva sia in mare che in acqua dolce.

DAIKICHI



Referencia	Modelo	Anzol x fio	Nº de peças	Eur
------------	--------	-------------	-------------	-----

ANZOL EMPATILHADOS

BF70016.123	Daikichi	100cm	16x0,12mm	10p
BF70018.127	Daikichi	100cm	18x0,12mm	10p
BF70020.106	Daikichi	100cm	20x0,10mm	10p


053010.620	FabioZeni	160cm	06x0,20mm	10p
053010.818	FabioZeni	160cm	08x0,18mm	10p



ANZOIS
0493BK


DAIKICHI

Amo forgiato con occhiello, si presta a svariati tipi di pesca, sia in mare con l'innesco di grosse esche a surf casting o bolentino, oppure in acqua dolce per creare teste piombate da torrente o laghetto.



298S

DAIKICHI

Amo in acciaio forgiato con punta reverse e occhiello. Si presta alla pesca sia in mare a bolentino che per l'innesco del vivo in fiume o lago per lucci, lucciperca e persici.


3628 BN


Amo forgiato dalla punta reverse e affilato chimicamente. Trova impiego in svariate pesche data la sua incredibile robustezza, dal carpfishing alla pesca in mare. Ideale anche per il bassfishing a wacky rig o drop-shot.



ANZOIS




316 BN ■ Black Nickel



DAIKICHI
X1

5pz

Amo da texas dal filo robusto con punta ad altissimo coefficiente di penetrazione. Ideale per lucci, bass e spigole ma perfetto anche per siluri di media taglia.




ASSIST HOOK

601 BN-INOX ■ Tin




Assist hook realizzati con ami e dacron ad altissima resistenza per metal jig di piccola e media dimensione. Perfetti sia per lo spinning che per il vertical jigging/slow pitching.



264 TI ■ Tin




Amo in acciaio ad alto tenore di carbonio, studiato per la realizzazione di assist hook da vertical jigging. La curva ampia e il micro-ardiglione permettono una penetrazione migliore, grazie anche alla punta affilata chimicamente.



750 TI ■ Tin



Amo dal gambo forgiato e rinforzato ideale per tutte le pesche pesanti in mare, dalla traina al bolentino di profondità. La punta affilata chimicamente non lascerà scampo a nessun tipo di preda.




LINEAS / ANZOS

BIG FIGHT FLUOROCARBON

Daikichi Big Fight, il fluorocarbon da terminali per pesci di grossa taglia. Ideale per la realizzazione di leader o di montature per la pesca in saltwater e freshwater, dove è richiesto un carico di rottura estremamente alto ed una elevata resistenza all'abrasione.

Come ogni fluorocarbon, Big Fight è virtualmente invisibile in acqua e migliorerà le chance di cattura su pesci particolarmente sospettosi.

LEADER	Diametro Ø	Test	Bobina	Pack
41040135	0,40mm	9,90kg	25m	6
41040136	0,50mm	13,90kg	25m	6
41040138	0,60mm	20,30kg	25m	6
41040140	0,83mm	39,60kg	25m	6
41040142	1,07mm	64,00kg	25m	6

THE RED LINE


Nella colonna d'acqua, il colore rosso è il primo a scomparire fra tutti i colori dello spettro. Per questo, Real Winner ha deciso di dare proprio questa tonalità al suo speciale filo fluorocarbon Made in Japan, per rendere invisibile un filo che cambierà il vostro modo di pescare. I diametri e i carichi di rottura sono stati testati e controllati personalmente su tutte le misure, come vuole la politica Real Winner, affinché i dati riportati siano totalmente reali.

Real Winner

Codice	Diametro Ø	Test	Bobina	Pack
41010042	0,180mm	3,80kg	250m	6
41010043	0,200mm	5,30kg	250m	6
41010045	0,250mm	8,30kg	250m	6
41010047	0,300mm	11,30kg	250m	6
41010049	0,350mm	13,80kg	250m	6




1825 BN



Black Nickel




20pz



880.1825.02	anzol Daikich	1825 BN	02	20pcs	Majora
880.1825.04	anzol Daikich	1825 BN	04	20pcs	Majora
880.1825.06	anzol Daikich	1825 BN	06	20pcs	Majora
880.1825.1/0	anzol Daikich	1825 BN	1/0	20pcs	Majora



880.26.02	anzol Daikich	H26 NI IRIDIO	02	20pcs	Majora
880.26.04	anzol Daikich	H26 NI IRIDIO	04	20pcs	Majora
880.26.06	anzol Daikich	H26 NI IRIDIO	06	20pcs	Majora



880.30.05	anzol Daikich	H30 S NI IRIDIO	05	20pcs	Majora
880.30.06	anzol Daikich	H30 S NI IRIDIO	05	20pcs	Majora
880.30.07	anzol Daikich	H30 S NI IRIDIO	05	20pcs	Majora
880.30.08	anzol Daikich	H30 S NI IRIDIO	05	20pcs	Majora




01.BUG	Peixe PLAWAY	Bug hologram com pêlos		
--------	--------------	------------------------	--	--

01.CB.50	Peixe PLAWAY	Crank bait – baby fat	8g	
----------	--------------	-----------------------	----	--

01.COM	Peixe PLAWAY	Pet Lure – comet – articulado		
--------	--------------	-------------------------------	--	--

01.JM.11	Peixe PLAWAY	Minnow real	11g	
----------	--------------	-------------	-----	--

01.SHB	Peixe PLAWAY	Pet lure – joaninha	6,5cm x 7g	
--------	--------------	---------------------	------------	--



SILVER

PEARL



DECONTO ZARA



DECONTO CURITIBINHA



BBSD MORO BASS BAIT SEMI-DEEP



MORO BASS BAIT NERVOSA BBN



MORO ALLEGRO ALS

02,CTBA	Peixe DECONTO	Curitibinha	7cms x 9g
02,Z.90	Peixe DECONTO	Zara	9cms x 17g

Peixe DECONTO

Curitibinha
Zara

7cms x 9g
9cms x 17g



02,ALS	Peixe MORO	Allegro	6cms x 9g
02,BBN	Peixe MORO	Bass Bait	8cms x 11,5g
02,BBSD	Peixe MORO	Bass Bait	8cms x 12g
02,RBPG	Peixe MORO	Popper	8cms x 11g
02,RBS	Peixe MORO	Robalo Bai	9cms x 15,8g
02,SBP	Peixe MORO	Popper	9cms x 12,5g

Peixe MORO

Allegro
Bass Bait
Bass Bait
Popper
Robalo Bai
Popper

6cms x 9g
8cms x 11,5g
8cms x 12g
8cms x 11g
9cms x 15,8g
9cms x 12,5g



RBPG MORO POPPER GARRINCHINHA



MORO ROBALO BAIT RBS



SBP MORO SUPER BAIT POPPER

AMOSTRAS SOFT LURE

RAGLOO

MADE IN JAPAN 2

Ragloos silicônicos perfeitos para usar a traina, da barca, da terra com divergente ou a lançamento com a bombarda. Ideais para todo tipo de predador, desde os grandes pelágicos até os pequenos e de água doce.

7cm

Codice	Coro	Blister	Pack
67210711	2	5pz	10
67210709	10	5pz	10

9cm

Codice	Coro	Blister	Pack
67210720	2	5pz	10
67210719	7	5pz	10



01.500	caixa	com 50 twisters	1/16	10-cores
01.500	Twister	sem anzol	1/16	10-cores
01.501	Twister	sem anzol	1/8	2-cores



01.504	Snake	sem anzol	1/8	9-cores
--------	-------	-----------	-----	---------



01.506	cabeçote		1/16	7-cores
--------	----------	--	------	---------

PALHCOS E CORRICO

PRO SABIKI 6 AMI



Sabiki a 6 ami montati.

Codice	Amo	Coro	Pack
58030102	8	Chartreuse	10
58030103	6	Chartreuse	10
58030105	10	Silver Holo	10
58030108	4	Silver Holo	10

THE EGI MOVE-X

3.0 EGI



**THE EGI
MOVE X**

Codice	Col.	Pack
67210141	89	20
67210135	100	20
67210140	101	20
67210043	DB61	20
67210133	DB52	20
67210146	DB65	20
67210150	OR8	20
67210151	OR9	20
67210152	OR10	20
67210153	VR02	20
67210154	VR04	20
67210124	VR05	20

SPINNER WILLOW



ARGENTO RAINBOW

Codice	Misura	Peso	Pack
670282	1	4g	10
670283	2	6g	10
670284	3	9g	10
670285	4	12g	10
670286	5	16g	5

ROSSO RAINBOW

Codice	Misura	Peso	Pack
670288	1	4g	10
670289	2	6g	10
670290	3	9g	10
670291	4	12g	10
670292	5	16g	5

SPINNER PALETTA PUNTINATA



ORO PUNTI ROSSI

Codice	Mis.	Peso	Pack
670266	1	3g	10
670267	2	4g	10
670268	3	6g	10
670269	4	10g	10
670270	5	13g	10

ARGENTO PUNTI ROSSI

Codice	Mis.	Peso	Pack
670260	1	3g	10
670261	2	4g	10
670262	3	6g	10
670263	4	10g	10
670264	5	13g	10

ARGENTO/NERO PUNTI GIALLI

Codice	Mis.	Peso	Pack
670278	1	3g	10
670279	2	4g	10
670280	3	6g	10



Caixa



4611	VIBRAX N°.1	PRATA	5 UNID/ BOX	3.5 g
4620	VIBRAX N°.0	OURO	5 UNID/ BOX	3.0 g
4621	VIBRAX N°.1	OURO	5 UNID/ BOX	3.5 g
4622	VIBRAX N°.2	OURO	5 UNID/ BOX	5.0 g
4623	VIBRAX N°.3	OURO	5 UNID/ BOX	7.0 g

Referência	Modelo	Peso	Eur
------------	--------	------	-----



7278.000	balsa	1,50-2,0-5,0g	
----------	-------	---------------	--



7412.000	balsa-taíinha	1,50-2,00-3,00	
----------	---------------	----------------	--



Galleggiante in EVA High Density ideale per la pesca alla trota in lago, trova utilizzo anche in correnti poco sostenute e in carpodromo. Realizzato in EVA, è indistruttibile, resistente a urti e graffi. Deriva in FDV e passante interno. La sua colorazione permette un'ottima visibilità in acqua anche nelle condizioni più avverse.

Codice	Grammatura	Starlight
48020218	1g	3mm
48020219	1,5g	3mm
48020220	2g	3mm
48020221	2,5g	3mm
48020222	3g	3mm
48020224	4g	3mm
48020225	6g	4,5mm
48020226	8g	4,5mm
48020227	10g	4,5mm
48020228	15g	4,5mm
48020229	20g	4,5mm



MINCIO

Codice	Peso	Starlight
48020100	0,2g	3mm
48020101	0,3g	3mm
48020102	0,5g	3mm
48020103	0,75g	3mm
48020104	1g	3mm
48020105	1,5g	4,5mm
48020106	2g	4,5mm
48020107	2,5g	4,5mm
48020108	3g	4,5mm
48020109	4g	4,5mm
48020110	6g	4,5mm
48020111	8g	4,5mm

Ottimo galleggiante con deriva in fibra di vetro tipico per la pesca con la bolognese. Può trovare utilizzo sia in acqua dolce che salata e per l'innesco di esche vive.

Packing: 20

STARLIGHT



GRECALE

Codice	Peso	Starlight
48020166	0,2g	2,2mm
48020167	0,3g	2,2mm
48020168	0,5g	2,2mm
48020169	0,75g	2,2mm
48020170	1g	2,2mm
48020171	1,5g	3mm
48020172	2g	3mm

Galleggiante con deriva in fibra di vetro, dotato di porta starlight. Ideale per la pesca in carpodromo, in situazioni di acque ferme o con poca corrente.

Packing: 20

STARLIGHT



BOMBETTE

Referência	Modelo	Peso		Eur	
02.287.20	Bombette – meia água	glass	20g		
02.287.25	Bombette – meia água	glass	25g		
02.287.30	Bombette – meia água	glass	30g		
02.288.25	Bombette – meia água	flutter	25g		
02.315.20	Bombette – flutuante	phosphor	20g		
02.315.25	Bombette – flutuante	phosphor	25g		
02.315.30	Bombette – flutuante	phosphor	30g		
3508.040	Bombette – flutuante	preto/verm	40g		

CAIXAS CESTOS E BALDES

Referência	Modelo		Eur
03.835	caixa plástica	835 - spinner	
03.952	caixa plástica universal	14,5x9,5x2cm	
15.045	caixa enroladora para buldo		
1600.098	Caixa plástica – redonda	giratória	
06.125	Oleo spray		



Referência	Modelo		Eur
03.043	caixa plástica isco	1/2 lua	
03.046	caixa plástica isco redonda	70x35mm	



03.047	caixa plástica	mini 4	
03.134	caixa plástica	992 - mini 4	



45520.050	60cm 33cm	6mm	6mm
03.450	cesto para camarão		

CHUMBOS



8001.000	Caixa de Chumbo	70g		
8003.000	Caixa de Chumbo	100g		
8005.030	chumbo cortado	0,20g	3mm	
8005.035	chumbo cortado	0,25g	3,5mm	
8005.040	chumbo cortado	0,40g	4mm	
8005.045	chumbo cortado	0,60g	4,5mm	
8005.050	chumbo cortado	1,00g	5mm	
8005.060	chumbo cortado	1,25g	6mm	
8005.070	chumbo cortado	1,60g	7mm	
8005.080	chumbo cortado	2,90g	8mm	
8005.100	chumbo cortado	5,75g	10mm	

8006.002	chumbo Cheburaska	2-argolas	2g	5-pcs
8006.004	chumbo Cheburaska	2-argolas	4g	5-pcs
8006.006	chumbo Cheburaska	2-argolas	6g	5-pcs
8006.010	chumbo Cheburaska	2-argolas	10g	5-pcs
8006.020	chumbo Cheburaska	2-argolas	20g	5-pcs
8006.030	chumbo Cheburaska	2-argolas	30g	5-pcs

8020.001	Olivete – plastificada	1g	10-pcs	
8020.002	Olivete – plastificada	2g	10-pcs	
8020.004	Olivete – plastificada	4g	10-pcs	
8020.006	Olivete – plastificada	6g	10-pcs	
8020.012	Olivete – plastificada	12g	10-pcs	



DESTORCEDORES

BARREL SWIVEL ITALIAN SNAP



BLACK

Codice	Mis.	Blister	Pack
50T1 14	14	12pz	12
50T1 16	16	12pz	12

CROSS SWIVEL



BLACK

Codice	Mis.	Blister	Pack
50GTN 06	06	12pz	12
50GTN 08	08	12pz	12
50GTN 10	10	12pz	12

Codice	Misura
50181016	16
50181018	18
50181020	20



ROLLING



Referência	Modelo	Tamanho	Peças	Eur
8121.300	Destorcedor com alfinete	3/0	10pc	
8121.200	Destorcedor com alfinete	2/0	10pc	
8121.002	Destorcedor com alfinete	2	10pc	
8121.006	Destorcedor com alfinete	6	10pc	
8121.008	Destorcedor com alfinete	8	10pc	



50655121	Destorcedor c/ alfinete	04-10-12	12 pc	
8131.200	Destorcedor	2/0	10pc	
8131.100	Destorcedor	1/0	10pc	
8131.001	Destorcedor	1	10pc	
8131.002	Destorcedor	2	10pc	
8131.004	Destorcedor	4	10pc	
8131.006	Destorcedor	6	10pc	
8131.008	Destorcedor	8	10pc	
8131.012	Destorcedor	12	10pc	
8131.014	Destorcedor	14	10pc	
8131.016	Destorcedor	16	10pc	

HEZOS NI

Nickel



20pz



3 BODY-BODY
+ V-SNAP

Codice	Misura
50860.050	12
50860.051	14



3 BODY-BODY

Codice	Misura
50BB3.16	16
50BB3.18	18



8613.007

Destorcedor MARUTO c/rol.

3,2

145kgs



8305.014

Destorcedor triplo

14/16

10pc



8220.000

Destorcedor Rolling

0,30mm

10 pc




4627.000

Destorcedor - fast clip

10pc

LINHAS ELÁSTICAS E ENGODOS



Iscador - Elasticase
agulha dupla inc.




9120.100	Linha elástica – isca	120m branca
9120.110	Linha elástica – isca	120m competição
9120.120	Linha elástica – isca	120m vermelha
9120.130	Linha elástica – isca	120m verde
9120.140	Linha elástica – isca	120m laranja
9120.180	Iscador - Elasticase	

4000.502	Engodo – especial	Tainha	1-kg
4000.504	Engodo	Allround	1-kg
4000.506	Engodo – vermelho	Carpa	1-kg
05.100	Spray Bonamix-V aminoácido		100ml



51070.011	Cabo Camaroeiro Majortech XS NET Fibra + Kevler	4,20m
-----------	---	-------

10.002	Cabo de camaroeiro	2	2 x 0.80m
--------	--------------------	---	-----------




10.054	Camaroeiro	0,54
10.003	Camaroeiro	3
10.502	Camaroeiro Plaway	502



10.130.100	Manga Plaway - 1,00m	130	35cm
10.130.150	Manga Plaway - 1,50m	130	35cm
10.130.200	Manga Plaway - 2,00m	130	40cm
10.2130	Manga Plaway - competição	2130	3,00mx50cm

SACOS E REDES

10.136	Ferro manga alumínio	136	75cm
--------	----------------------	-----	------



P6



P12



10. Sub4	Saca rede cintura	40x40 + PVC	
10.077	Saca de rede	077	malha 10
10.077.P12	Saca de Rede	077	malha forte
10.077.P6	Saca de Rede	077	verde

SUB4



10.517	Cabeça de camaroeiro	517
--------	----------------------	-----

3930.000	Suporte cana	3 posições
3935.000	Suporte cana	P.I. - starlight



3893.000	Apoio de cana	"U"
3894.000	Apoio de cana	"V"



10.1930	Tripé surf-casting
---------	--------------------



10.409	Rolo "duplo" 50cm – roubaisienne
--------	----------------------------------



10.433	Suporte canas "U"
--------	-------------------

10.800	Espeto de mar
10.800.1	Espeto de mar - Fluor

90cm	800
120cm	800-1

TERMINAIS

3720.050	Ponteira – carbono					
3720.055	Ponteira – carbono					
3730.060	Ponteira – fibra vidro					
3730.070	Ponteira – fibra vidro					
3358.000	Aplicações para canas			1,8-2,3-2,6-3,0	10pcs	




3304.000	Agulha – mar – 20cm	1pc				
----------	---------------------	-----	--	--	--	--



3340.000	Agulha - mar - 18cm	tubo c/ 2 pcs				
----------	---------------------	---------------	--	--	--	--



3252.000	Desferrador – c/pico 2-lados					
3379.000	Elevador de chumbo	2pcs				



8499.000	Porta bobine – cerâmica	Fly				
8831.000	Limpa leader	Fly				
3474.000	Arame para elástico					



LUMINOUS OVAL SOFT BEAD



NEW

Codice	Diametro	Pack
63100050	3mm	10
63100051	4mm	10
63100052	5mm	10



3579.000 Bolas – esferovite

saco 8-10mm



3407.000 Travão de linha médio

3431.000 Travão de linha Silicone 3x5 S
3432.000 Travão de linha Silicone 3x5 M
3433.000 Travão de linha Silicone 3x5 L

3566.000 Rede PVA solúvel

3372.000 Perolas – facetadas laranja+amarelo 25pcs



3389.001 Perolas MUCIFAL 15pcs 2-furos S

3391.000 Perolas – batente - fluor 9mm



3397.000 Perolas – luminosas caixa - 60pcs sortidas



3602.000 Caixa – argolas bóias



3607.000 Caixa – argolas bóias

medias

3167.000 Tesoura

AVVOLGILENZA RETTANGOLARE



Avvolgilenza rettangolare in espanso.

Codice	Dimensioni	Pack
17070165	110x150x15mm	20



3011.100 Sleeves – cabo aço 1,00mm 10pcs

4541.000 Tesoura + Pin
4552.000 Pin para desferrador



4668.000 Fisga – engodo nº9



46040.050 SNIPPER THREAD CUT 10,5cm 12

STARLIGHT GEL

NEW



Starlight in gel a lunga durata.
Colore Yellow/Green

Codice	Misura	Busta
59180100	4,5x39mm	2pz

BRIDED LINE SCISSORS



NEW


Forbici adatte a tagliare trecciati.

Codice	Lunghezza	Pack
46040051	9,5cm	5

TERMINAIS



8240	4 Rolling	0,30	1.75 m
8230	3 Rolling	0,30	1.50 m



9100.130	Amassadeira 30cm	Plaway · azul	
----------	------------------	---------------	--



9700.002	Saco canas Plaway	1,50m - directas	
9700.004	Saco canas Plaway	1,50m - bolonhesa	



57100.007	AP-1802 - Majora 2- vel		
57100.010	Comp. 2- vel - 10x8,4cm		

CESTINO PORTAPESCI

NYLON E VIMINI



Cestino in vimini portapesci con rivestimento in cordura 600d, dotato di tre ampie tasche, cerniera e tracolla.

Codice	Larghezza	Altezza	Profondità
21100090	32cm	21cm	18cmw

GIBERNA SPINNING



NEW

Codice	Dimensioni	Pack
46200100	26x10x9cm	5



Gibernetta con cintura studiata per lo spinning, composta da 4 scompartimenti mobili con divisori, due scomparti dotati di coperchio trasparente e un portapinza esterno. Perfetta per la pesca a trota torrente, light rock e Trout Area.

SECCHIELLO BIGATTINI

RETE



Secchiello per bigattini in TNT con fondello in tessuto e parte bassa in rete per una migliore areazione.

Codice	Larghezza	Altezza	Pack
21000215	25cm	30cm	10

BAIT BOX TERMICA

H 5



Gibernetta termica con scomparto per sacchetti termici e vaschetta per esche, attacco per cintura e cinghiolo pertracolla.

Codice	Dimensione	Pack
70090210	18x12x9cm	6

SCATOLA ACCESSORI HS033



Piccola scatola rettangolare doppia porta accessori (ami, girelle, moschettoni, etc...) dotata di 10 scomparti. Realizzata in materiale antiurto.

Codice	Dimensioni	Scomparti	Pack
70030115	9,5x6,5x2,5cm	10	1

SCATOLA ACCESSORI TURTLE HS004

Piccola scatola ovale doppia porta accessori (ami, girelle, moschettoni, etc...) dotata di 12 scomparti. Realizzata in materiale antiurto a forma di guscio di tartaruga.

Codice	Dimensioni	Scomparti	Pack
70030105	11x7x3cm	12	1



8930.000	Ponteira	#10 – 025+028+030+032
8930.000	Ponteira	#12 – 035+040+045
8930.050	Ponteira	#16 – 050



8980.012	Passador	#12
8980.016	Passador	#16
8980.020	Passador	#20
8980.025	Passador	#25
8980.030	Passador	#30
8980.040	Passador	#40



8985.040	Passador articulado	#40
----------	---------------------	-----

TITANIA SLIDING BWMIG

Modello:
Scorrevole
Rinforzato
Struttura:
Black
Pietra:
Titania



Codice	Mis.	Pack
BF04079125	8-2.0	10
BF04079279	10-4.5	10
BF04079281	10-5.0	10
BF04079309	12-5.0	10
BF04079311	12-5.2	10
BF04079313	12-5.5	10
BF04079315	12-6.0	10
BF04079317	12-6.5	10
BF04079319	12-7.0	10
BF04079321	12-7.5	10

TITANIA SLIDING GUIDE BSMIG


Standard
Struttura: Black
Pietra: Titania



Codice	Misura	Pack
BF04080268	6-2.8	10
BF04080275	6-3.0	10
BF04080282	6-3.2	10
BF04080299	6-3.5	10
BF04080305	8-3.5	10
BF04080312	8-3.7	10
BF04080329	8-4.0	10
BF04080336	8-4.4	10

LC

Stainless Steel
8818.



NEW

NEW

CCLCAG

BCLCAG

PETRAIRING		
STRUTTURA FRAME	Frosted Silver	Frosted Dark-Gray
8		
10		
12		
12M		
16		
16M		
20		

Size Chart

Ring Size	H mm	L1 mm	L2 mm	L mm
8	12.6	7.5	7.0	36.0
10	15.1	9.0	7.5	41.3
12	17.3	10.5	8.5	48.0
12M	23.2	11.5	9.0	49.0
16	26.6	13.5	11.5	60.0
16M	35.5	14.9	12.7	75.8
20	47.5	16.5	15.0	85.0

M ... Medium (Frame's Height)

LSV

Stainless Steel 8811.

NEW

NEW

NEW



Spec 仕様
Deep Pressed Frame Bead Frame Structure
Stepped Foot for both sides of back foot.

Ring Size	H mm	L1 mm	L2 mm	L mm
6	9.7	4.5	4.1	12.8
7	11.7	5.5	4.7	16.8
8	14.2	6.5	5.8	19.5
10	17.4	7.1	6.1	22.7
12	21.7	7.9	6.6	28.0
16	26.1	8.5	7.2	30.8
20	32.8	10.0	8.6	37.4
25	40.8	11.7	10.2	44.3
30	50.6	14.3	11.3	54.0
40	61.4	17.4	14.5	64.3

Size Chart

PETRAIRING		
STRUTTURA FRAME	Frosted Dark-Gray	Frosted Silver
6		
7		
8		
10		
12		
16		
20		
25		
30		
40		

LYO

Stainless Steel
8809.

The Deep pressed frame version of Yguide.
5% lighter compared to Yguide,
keeping the same strength.
Recommended for fresh water lure,
light salt lure and light boat rod.



PETRAIRING		
STRUTTURA FRAME	Frosted Silver	Frosted Dark-Gray
8L		
8		
10		
12		
16		
20		
25		
30		

Ring Size	H mm	L1 mm	L mm
8L	14.3	7.3	13.0
8	16.8	7.8	14.9
10	21.3	8.9	16.3
12	24.8	10.4	21.0
16	32.3	11.9	26.4
20	41.8	13.3	29.9
25	50.7	16.2	33.7
30	60.0	17.4	36.4


L ... Low (Frame's Height)



L

8809.

Stainless Steel
Tip section guide for light-spinning, casting, and fly rod.



Size Chart

Ring Size	H mm	L1 mm	L mm
4	5.0	5.5	7.5
4.5	5.5	6.5	9.0
5	6.5	7.0	9.5
5.5	7.5	7.0	10.0
6	8.0	7.0	10.0
7	9.0	8.0	11.0
8	12.0	8.5	13.5
10	15.0	8.5	14.0

PETRAIRING		
STRUTTURA FRAME	Frosted Silver	Frosted Dark-Gray
4		
4.5		
5		
5.5		
6		
7		
8		
10		



PASSADORES


Stainless Steel



Size Chart

Ring Size	H mm	L1 mm	L mm
NEW 4.5 L	8.3	6.3	10.1
NEW 5 L	9.3	7.4	12.1
5.5 L	10.8	9.2	14.1
5.5 M	14.6	10.0	16.8
6 L	12.2	9.2	15.5
6 M	18.4	11.0	18.0
7 L	13.2	9.4	16.0
7 M	19.4	11.0	19.3

[Frame's Height
• L ... Low
• M ... Medium
• H ... High



NEW

NEW



	GMKLSG	BCKLAG	CCKLAG	BCKLFG	CCKLFG
PETRA/RING	Shiny Gray	Frosted Dark-Gray	Frosted Silver	FazLite	FazLite
STRUTTURA FRAME	Shiny Gray	Frosted Dark-Gray	Frosted Silver	Frosted Dark-Gray	Frosted Silver
4.5 L					
5 L					
5.5 L					
5.5 M					
6 L					
6 M					
7 L					
7 M					
8 M					
8 H					
10 H					
12 H					
16 H					
20 H					
25 H					



Stainless Steel

8812.



NEW

NEW




	GMKTSO	BCKTAG	CCKTAG	BCKTFO	CCKTFO
PETRA/RING	Shiny Gray	Frosted Dark-Gray	Frosted Silver	FazLite	FazLite
STRUTTURA FRAME	Shiny Gray	Frosted Dark-Gray	Frosted Silver	Frosted Dark-Gray	Frosted Silver
3.5					
4					
4.5					
5					
5.5					
6					
7					
8					
10					

Size Chart

Ring Size	H mm	L1 mm	L mm
3.5	4.8	4.4	9.9
4	5.3	4.9	7.7
4.5	5.8	5.7	8.9
5	6.5	6.1	9.6
5.5	7.3	6.6	10.6
6	8.2	7.0	11.3
7	9.2	7.4	12.2
8	11.1	9.0	15.1
10	14.5	10.0	17.7



Stainless Steel



Size Chart

Ring Size	H mm	L1 mm	L mm
12	19.7	12.2	23.6
16	26.2	14.0	28.3
20	33.5	16.0	35.0
25	44.0	19.0	42.9
30	60.5	26.5	53.8

NEW


NEW



	PKLSG	GMKLSG	BCKLAG	CCKLAG
PETRA/RING	Polished	Shiny Gray	Frosted Dark-Gray	Frosted Silver
STRUTTURA FRAME	Polished	Shiny Gray	Frosted Dark-Gray	Frosted Silver
12				
16				
20				
25				
30				

F

Stainless Steel
8807.



Size Chart



Size Chart

Ring Size	Pipe Size	L mm	H mm	O/D mm	Ring Size	L mm	H mm	O/D mm
					8-1.6	16.0	9.0	1.84
					8-1.8	16.0	9.0	2.04
5-0.8	9.0	5.5	1.00		8-2.0	17.0	8.5	2.24
5-0.9	9.0	5.5	1.10		8-2.2	17.5	8.5	2.48
5-1.0	9.0	5.0	1.20		8-2.4	18.5	9.0	2.68
5-1.2	10.5	5.5	1.40		8-2.6	21.0	8.5	2.91
5-1.4	11.5	5.0	1.60		8-2.8	22.5	9.0	3.11
5.5-1.2	12.0	6.0	1.40		8-3.0	21.5	9.0	3.33
5.5-1.4	12.5	6.0	1.60		8-3.2	24.5	8.5	3.53
5.5-1.6	14.0	6.0	1.84		10-2.0	18.5	12.0	2.24
5.5-1.8	14.5	6.0	2.04		10-2.2	19.0	12.0	2.48
5.5-2.0	15.5	6.0	2.24		10-2.4	19.0	11.5	2.68
5.5-2.2	16.5	6.0	2.48		10-2.6	22.0	11.5	2.91
6-2.0	15.5	6.5	2.24		10-2.8	23.0	12.5	3.11
6-2.2	17.0	7.0	2.48		10-3.0	23.5	12.0	3.33
6-2.4	18.5	6.5	2.68		10-3.2	24.5	11.5	3.53
6-2.6	20.5	6.5	2.91		10-3.6	25.0	12.0	3.97
7-1.6	14.0	8.0	1.84		10-4.0	27.0	11.0	4.60

NEW



NEW



RETIRADOR	BCFOT	CCFOT
STRUTURA FRAME	Frosted Dark-Gray	Frosted Silver
5-0.8/0.9		
5-1.0/1.2		
5-1.4		
5.5-1.2/1.4		
5.5-1.6/1.8		
5.5-2.0/2.2		
6-2.0/2.2		
6-2.4		
7-2.6		
8-1.6/1.8		
8-2.0/2.2		
8-2.4/2.6		
8-2.8/3.0		
8-3.2		
10-2.0/2.2		
10-2.4/2.6		
10-2.8/3.0		
10-3.2/3.6		
10-4.0		

LG


Stainless Steel
8810.

FUJI's smaller sloped frame tip guide for light spinning rods.



NEW

NEW



Size Chart

Ring Size	Pipe Size	L mm	H mm	O.D. mm
4 -0.8	9.5	4.5	1.00	
4 -0.9	10.0	4.5	1.10	
4 -1.0	10.0	4.5	1.20	
4 -1.1	10.5	4.5	1.30	
4 -1.2	10.5	4.5	1.40	
4 -1.4	12.0	4.5	1.80	
4 -1.6	12.5	4.5	1.84	
4 -1.8	12.5	4.5	2.04	
4.5-0.8	10.0	4.5	1.00	
4.5-1.0	10.0	5.0	1.20	
4.5-1.2	11.0	4.5	1.40	
4.5-1.4	12.0	4.5	1.80	
4.5-1.6	13.0	5.0	1.84	
4.5-1.8	13.0	5.0	2.04	
4.5-2.0	13.0	4.5	2.24	
4.5-2.2	13.0	4.5	2.48	
4.5-2.4	13.0	4.5	2.68	
4.5-2.6	13.0	4.5	2.91	
5 -1.2	12.0	6.0	1.40	
5 -1.4	12.5	6.0	1.80	
5 -1.6	14.0	6.0	1.84	
5 -1.8	16.0	6.0	2.04	
5 -2.0	14.0	6.0	2.24	
5 -2.2	16.0	6.0	2.48	
5.5-1.2	12.0	6.5	1.40	
5.5-1.3	12.0	6.5	1.50	
5.5-1.4	12.0	6.5	1.60	
5.5-1.6	14.0	6.5	1.84	
5.5-1.8	14.0	6.5	2.04	
5.5-2.0	16.0	6.5	2.24	
5.5-2.2	16.0	6.5	2.48	
5.5-2.4	16.0	6.5	2.68	

RETIRADOR	GMLGST	BCLGAT	CCLGAT	BCLGFT	CCLGFT
STRUTURA FRAME	Shiny Gray	Frosted Dark-Gray	Frosted Silver	Frosted Dark-Gray	Frosted Silver
4 -0.8	-----				
4 -0.9	-----	-----			
4 -1.0	-----			-----	
4 -1.1	-----			-----	
4 -1.2	-----			-----	
4 -1.4	-----			-----	
4 -1.6	-----			-----	
4 -1.8	-----			-----	
4.5-0.8	-----	-----		-----	
4.5-1.0	-----			-----	
4.5-1.2					
4.5-1.4					
4.5-1.6					
4.5-1.8					
4.5-2.0					
4.5-2.2					
4.5-2.4	-----	-----		-----	-----
4.5-2.6	-----	-----		-----	-----
5 -1.2	-----	-----	-----		
5 -1.4	-----	-----	-----		
5 -1.6	-----	-----	-----		
5 -1.8	-----	-----	-----		
5 -2.0	-----	-----	-----		
5 -2.2	-----	-----	-----		
5.5-1.2			-----	-----	-----
5.5-1.3					-----
5.5-1.4					-----
5.5-1.6					-----
5.5-1.8					-----
5.5-2.0					-----
5.5-2.2					-----
5.5-2.4					-----

MN

Stainless Steel
8840.



Size Chart

Ring Size	H mm	L1 mm	L2 mm	L mm
8	11.5	7.0	5.0	20.9
10	14.6	8.3	6.5	26.8
12	17.3	9.0	7.9	28.5
16	22.0	10.0	8.9	36.0
20	30.2	11.3	10.5	46.2
25	39.3	15.0	12.5	58.2
30	49.8	18.0	15.5	68.9
40	62.1	21.0	18.5	84.0

NEW

NEW

NEW



RETIRADOR	BCMNAG	BCMNOG	CCMNOG
STRUTURA FRAME	Frosted Dark-Gray	Frosted Dark-Gray	Frosted Silver
8			
10			
12			
16			
20			
25			
30			
40			



PORTA CARRETOS


DPS

Pipe Type Reel Seat



Size	ØD1 mm	ØD2 mm	ØD mm	L1 mm	L2 mm	L3 mm
16	21.7	18.3	15.5	105.0	49.1	55.9
17	23.4	20.0	17.0	119.0	58.3	60.7
18	24.4	21.0	18.0	124.0	64.0	60.0
20	26.4	23.0	20.0	129.0	63.4	65.6
22	28.4	25.0	22.0	129.0	61.2	67.8
24	30.8	27.0	24.0	137.0	67.2	69.8
26	32.8	29.0	26.0	137.0	67.2	69.8

	DPS SD CC	DPS M CC	NEW DPS M BC	Fuji Gold Label
MODEL SIZE	Frosted Silver-White	Frosted Silver-White	Frosted Dark-Gray	Trim Ring
16				
17				
18				
20				
22				
24				
26				




DNPS

Pipe Type Reel Seat

Size Chart

Size	ØD1 mm	ØD2 mm	ØD mm	L1 mm	L2 mm	L3 mm
16	17.0	18.4	15.0	132	43.5	12.5
18	20.0	21.0	18.0	151	51.5	15.5
20	22.0	23.0	20.0	161	59.5	17.5
22	24.0	25.0	22.0	181	59.5	17.5
24	26.0	27.0	24.0	167	83.0	20.0




	DNPS M CC	DNPS SD CC	NEW DNPS M BC	NEW DNPS SD GM
MODEL SIZE	Frosted Silver-White	Frosted Silver-White	Frosted Dark-Gray	Shiny-Gray
16				
18				
20				
22				
24				

LS

Plate Type Reel Seat



Con gomma di protezione inferiore



8835 LS




Non Plating / Polished Finish

Size
6
7

Plate
Seat
Size Chart

Size	L mm	L2 mm	W mm	Reel Foot Size 適合フットサイズ
6	124.0	12.0	12.0	~70mm×15mm
7	146.0	16.0	15.0	~75mm×17mm

with Stainless Steel
Black Cushion



HKM

Hook Keeper




Coating Type Hook Keeper for Lure & Fly

Ferma Lenza / Hook Keeper

Hook
Keeper
Size Chart

Size	L mm	H mm	H1 mm	W mm	Hook Size 対応フックサイズ
HKM 10W BHKM 10W	7.6	9.0	1.7	5.3	Size 6 or Smaller 6以下

©Stainless steel ステンレス製



HKM	BHKM
Non Plated	Black Plated



PHANTOM

ROD BUILDING EPOXY COATING

MO98H

MADE IN ITALY

Rapporto di Impiego: 1:1
 Tempo di Asciugatura: 5/6h
 Tempo di Indurimento: 24h
 Pot Life: 60 minuti

Codice	Quantità
12040100	2000+200cc
12040110	500+500cc**
12040115	50+50cc**
12040125	12+12cc

** dotato di dosatori o siringhe





AMOSTRAS

KILLER

04.500	KILLER	6cm x 4pcs	todas as 20 cores	
--------	--------	------------	-------------------	--




KILLER - Amostra de estrutura excelente que promete uma grande duração.
Macia e muito elástica mas com o corpo rígido. Bigodes muito sensíveis e um longo rabo asseguram um excelente trabalho na água.
A combinação de forma e cores e um agressivo cheiro a alho faz atrair os predadores em todas as condições climáticas. Não sendo uma amostra grande consegue atrair a maioria dos grandes predadores.



60506.000	JigHead - cabeçote "pintado" 500	2	2,5g	5pcs	
-----------	----------------------------------	---	------	------	--



639147.000	VMC 9147 4pcs	Anzol 3/0			
------------	---------------	-----------	--	--	--



649147.000	VMC 9147 4pcs	Anzol 4/0			
------------	---------------	-----------	--	--	--



JIGHEAD



60570.004	JigHead - Eagle Clow	570	1	4g	5pcs
60570.021	JigHead - Eagle Clow	570	4/0	21g	5pcs

L-SERIES

04.100	L-SERIES	7cm x 4pcs	21-23-24-27-32-36-39
--------	----------	------------	----------------------

L-SERIES - As cores não são muito agressivas mas esta série de amostras é a única em que a forma do corpo e a elasticidade da amostra criam uma vibração única atractiva para os peixes. Tem cheiro de aromas fundidos levando-nos a pescar lúcio-perca, achigã e lúcios.



QUIS

04.300	QUIS	9,5cm x 4pcs	21-23-24-27-34-39
04.400	QUIS	12 cm x 3pcs	23-24-27-37-38

QUIS – Esta série foi desenhada de acordo com as últimas grandes modas de produção de amostras. É produzida com cheiro de peixe e com sal. Pela sua forma e pelo modo activo de trabalhar é perfeita para os predadores. Também óptima para os peixes de mar.



CRAWFISH

04.800	CRAWFISH	6cm x 4pcs	20-38
--------	----------	------------	-------

CRAWFISH – Amostra produzida com alta qualidade. Não afunda na água. Chama os predadores por imitar na perfeição os movimentos do lagostim vivo. Perfeita para achigã, lúcio, lúcio-perca e demais predadores. Produzida com cheiro a peixe.



DRAGON

04.600	DRAGON	6cm x 8pcs	23-26-29-30
04.700	DRAGON	11cm x 4pcs	20-21-23-24-25-27-30-35-36


DRAGON-Amostra extraordinária na forma de trabalhar e nas vibrações que produz. Perfeita para pescar lúcio, achigã e outros peixes predadores. Feita com cheiro de camarão. Atraente também para peixes de mar.





AMOSTRAS

CLASSIC



05.100	CLASSIC	9cm x 4pcs	20-21-23-27-28-34-38-39
05.200	CLASSIC	12cm x 2pcs	23-25-27-32-34-35-38-39

CLASSIC – Amostra de forma standard. Atrai predadores com a sua forma activa de trabalhar. Perfeita para todos os peixes predadores incluindo achigã. Produzida com cheiro de peixe e com sal. Atraente para peixes de mar como o robalo.

Classic - the standart form soft lure. Baits form attracting predators with active tail work. Perfect for catching walleye, perch, pike and other predatory fish. Made with fish scent, salted



BAIT SIZE – 7cm (pack 6pcs),
9cm (pack 4pcs) AND 12cm (pack 2pcs).
AVAILABLE IN 20 COLORS,
INCLUDING 4 COLOR WITH UV ADDITIVES.



05.512	Boné "Apetito baits"		
--------	----------------------	--	--

05.500	Aromas	25ml	
--------	--------	------	--



- 0-lagostim
- 1-aromas fundidos
- 2-cavala
- 3-anis
- 4-camarão
- 6-ameijoia
- 7-alho
- 8-minhoca da terra
- 9-enguia
- 10-peixes



DEKOR KARTA





05.601 TRIPLE SENSE 11cm 8,7g 5pcs blister

05.602 SHADOW 10cm 5,8g 5pcs blister



LURES

SNEAK

SMALL EXPERT



- Weedless Hook Nick**
3mm nick to hide and protect the hook
- Hexagonal Glitter**
Glitter which emphasizes the reflection of light
- Under-Nick**
2mm under-nick for easy hook set-up
- Strong Paddle**
Small but very strong tail which adapts to all types of water

Weight 3.5g

Length 2.76 inch / 7 cm

05.603 SNEAK 7cm 3,5g 5pcs blister

EXECUTOR

THE SILENT TRICKSTER


- Weedless Hook Nick**
3mm nick to hide and protect the hook
- Slim Body**
Very low water resistance body shape
- Under-Nick**
5mm under-nick for easy hook set-up
- Realistic Motion**
Tail which realistically replicates motion of a real fish

Weight 5.1g


Length 4.3 inch / 11 cm

05.608 EXECUTOR 10cm 5,1g 2pcs blister





05.604	ASTRAL	10cm	4,5g	2pcs	blister
--------	--------	------	------	------	---------



05.605	GLIDER	27cm	30g	2pcs	blister
05.606	GLIDER	16cm	9g	2pcs	blister



LURES

GRIFFON THE GRAVITY SHAD



Divided Tail
Divided thin tail for more vibrations

Weedless Hook Nick
3mm nick to hide and protect the hook

Slim Body
Very low water resistance body design

Weight 3g

Length 5.12 inch/13 cm

GHOTIC SHAD 180 BAIT FOR BIG GAME

King Size Body
Veoma velika tela za prave predatore

Strong Paddle
Maka ili jaka palica koja se prilagođava svim tipovima vode


Eye Feature
Realistične oči

Weight 35g

Length 18cm

06.609 GRIFON 13cm 3g unid.


05.610 GHOTIC Shad 18cm 35g 1pc bag



Cat Bomber



VMC HOOK
Armored with powerful
VMC hook size 10/0




05.622	CAT Bomber	15cm	40g	s/anzol
--------	------------	------	-----	---------




HUNTER





05.611	HUNTER	10,5cm	20g	1pc	bag
05.612	HUNTER	10,5cm	30g	1pc	bag



LURES



05.619	NOMAD	10cm	80g	1pc	bag
05.620	NOMAD	10cm	40g	1pc	bag



05.623	SQUID	16cm	70g	1pc	bag
05.624	CUTTLEFISH (choco)	16cm	80g	1pc	bag
05.625	CHUMBO	16cm	100/130g	1pc	bag



SEA BASS



Cores

- TR - Transparente
- GSI - Green Silver
- SP - Pink
- GS - Gold Silver
- BS - Gold Silver Gliter



TR

GSI

SP

GS

BS

05.628	SEA BASS Shad	8cm	7g	3pcs	blister
05.629	SEA BASS Shad	9,5cm	13.5g	2pcs	blister

Art.448 **LEGA AMI** HOOK TYER - MONTE HAMEÇON



MISURA PICCOLA - SMALL SIZE



Lega ami manuale con impugnatura in gomma prodotto in due diverse misure: la misura piccola è stata studiata per legare con estrema facilità ami piccolissimi dalla misura nr. 14 alla 28, mentre la grande è adatta per ami dal nr. 6 al 18. Fornito completo di dettagliate istruzioni per l'uso.



Device with soft touch handle for tying fishing hook to the line. Produced in two different sizes: the small one is specially designed for very small hook sizes from nr. 14 to 28, the big one is suitable for hook sizes from nr. 6 to 18. Supplied with full instructions.





Monte hameçons en deux tailles avec poignée soft touch. La petite taille est étudiée pour hameçons très petits de n°14 jusqu'au 28, la grande pour hameçons de n°6 à 18. Livré avec notice d'emploi.

BUSTA DA 1 PEZZO - CONFEZIONE DA 10 BUSTE
1 PIECE PER BAG - PACK SIZE 10 BAGS



MISURA GRANDE - BIG SIZE



DESFERRADOR 7



SLAMATORI BICOLORE
HIGH QUALITY DISGORGERS

Art.429 Misura - Size 2 - 3



Slamatori di alta qualità con impugnatura anatomica in materiale antiscivolo. Disponibili in cinque diverse misure.



High quality disgorgers with anatomic handle. Available in five sizes.



Dégorgeoirs d'haute qualité avec poignée anatomique. Cinq tailles.



DESFERRADOR 429

SLAMATORI BIG DISGORGERS TYPE "BIG"



Slamatori "Big", ideali per trote e grandi pesci.



"Big" disgorgers, ideal for trout and big fish.



Dégorgeoirs pour la truite et le gros poisson.

Art.332-1

Piccolo
Small size

Art.332-2

Grande
Big size

DESFERRADOR 332





DIVERSOS

Referência	Modelo			EUR	Referência	Modelo			EUR
17,101	Aplicação vara	1			17,157	Elastico - forte	24-S	1,25mm - 4,40m	
17,102	Aplicação vara	232	Elite		17,158	Empata anzol	448	manual	
17,103	Aplicação elastico	2-2	Super Maxi		17,159	Sonda	246	8cm	
17,104	Aplicação elastico	309	Superone		17,162	Fisga	311	Power 2-média 3-forte	
17,105	Aplicação elastico	187	Over size		17,163	Fisga - recarga	290-6		
17,109	Agulha	455			17,165	Linha elastica para isca	370	120m	
17,110	Agulha	223	20cm - 1mm - 2pcs						
17,111	Agulha	550	20cm - 0,8mm - 5pcs		17,169	Perola	285	Elite	
17,112	Agulha	454	20cm - 1mm - 5pcs		17,173	Perola - luminosa	546	Goma 6mm 20pcs	
17,264	Agulha dupla	712	5 / 15mm		17,174	Perola - 2 furos	65	Micro Match 24pcs	
					17,175	Perola - 2 furos	66	Deep 24pcs	
17,106	Anel passa fio	450	2mm		17,176	Perola - 2 furos	453	Match Plus 24pcs	
					17,177	Ponteira	3-00	Teflon Maxi	
17,117	Arame - enfia elastico	461	em bobine		17,178	Porta Starlight	256	-2-3	
17,118	Argolas - para boias	31	P - G						
17,122	Base elastico - regulável	5-1	2-3-4		17,180	Prancheta	9418-S	Estreita 18cm	
17,125	Batente - cana	112	18 - 23mm		17,181	Prancheta	9520-S	Estreita 20cm	
17,126	Batente - cana	113	24 - 30mm		17,182	Prancheta	9522-S	Estreita 22cm	
17,127	Batente - cana	114	32 - 35mm		17,183	Prancheta	9525-S	Estreita 25cm	
17,128	Batente - cana	115	36 - 44,5mm		17,184	Prancheta	9530-S	Estreita 30cm	
17,129	Batente - topo da cana	118	15 - 22mm		17,185	Prancheta	9418-L	Larga 18cm	
17,130	Batente - topo da cana	119	23-32mm		17,186	Prancheta	9520-L	Larga 20cm	
17,131	Batente - topo da cana	120	33 - 45mm		17,188	Prancheta	9522-M	Larga 22cm	
17,133	Bobinadora - de fio	544			17,190	Prancheta	9535-L	Extra-large 35cm	
17,135	Caixa isco - quadrada	54	P - 0,60 litros						
17,136	Caixa isco - quadrada	55	M - 1,20 litros		17,192	Protector - fateixa	102	1+2+3+4 10pcs	
17,137	Caixa isco - quadrada	56	G - 1,80 litros		17,195	Protector - cana	400	Tel SBS 1	
17,138	Kit - tabuleiro + 4 caixas	366	(2P+1M+1G)		17,196	Protector - cana	401	Tel SBS 2	
					17,199	Suporte	449	Colagem de Fios	
17,141	Cone - elastico - regulável	330			17,201	Travão - boia	255	Maxi	
17,142	Cone - elastico - regulável	310			17,202	Tubo - silicone - boias	29	0,30 + 0,50mm	
17,145	Conector	244	Micro Match 00 + 0 - 6pcs		17,203	Tubo - silicone - boias	30	0,70 + 1,00mm	
17,146	Desferrador	252	Little		17,204	Tubo - silicone - boias	30-1	1,20 + 1,50 + 2,00mm	
17,147	Desferrador	7	S - M - L		17,214	Tabuleiro isco Serbidora	529		
17,148	Desferrador	16	Mare		17,263	Scancio - barco	263		
17,149	Desferrador	429	Bicolore 2 - 3						
17,150	Desferrador	332	Big						
17,152	Destorcedor - aço	701	Lure Snap 1 - 2 - 3 5pcs						
17,153	Destorcedor	473	Speed Snap 1 - 2 - 3 - 4 12pcs						
17,155	Destorcedor	663	Roto Snap 1 - 2 3pcs						
17,156	Destorcedor - agrafe	200	Microgancio 2 - 3 - 4						



DIVERSOS




art.9408L	CM 8
art.9410L	CM 10
art.9412L	CM 12
art.9414L	CM 14
art.9416L	CM 16
art.9418L	CM 18
art.9520L	CM 20
art.9522M	CM 22



APICALE SUPERONE



Art.584 COPRINODO KNOT COVER



STONFO BEADS MATCH


PERLINE DOPPIO FORO PER FINALI - DOUBLE BORE BEADS - PERLES DOUBLE TROU

Mis. Ø mm	Ø main line min max	Ø rig min max
1,8	0,16 0,30	0,08 0,18
2,2	0,20 0,35	0,10 0,20
3	0,25 0,40	0,10 0,25



BUSTA DA 24 PEZZI - CONF. DA 10 BUSTE
24 PIECES PER BAG - PACK SIZE 10 BAGS

Fori intersecanti
Crossing bores
Trous croisés



STONFO BEADS MATCHPLUS

PERLINE DOPPIO FORO PER FINALI - DOUBLE BORE BEADS - PERLES DOUBLE TROU

Mis. Ø mm	Ø main line max	Ø rig max
2,0	0,35	0,25
2,6	0,40	0,30



BUSTA DA 24 PEZZI - CONF. DA 10 BUSTE
24 PIECES PER BAG - PACK SIZE 10 BAGS

Fori non intersecanti
Not crossing bores
Trous pas croisés



STONFO BEADS DEEP


PERLINE DOPPIO FORO PER FINALI - DOUBLE BORE BEADS - PERLES DOUBLE TROU

Mis. Ø mm	Ø main line max	Ø rig max
3,3	0,80	0,40
4	0,90	0,60
6	1,30	0,80
8	1,70	0,90
10	2,40	1,40



BUSTA DA 24 PEZZI - CONF. DA 10 BUSTE
24 PIECES PER BAG - PACK SIZE 10 BAGS

Fori non intersecanti
Not crossing bores
Trous pas croisés



AGHI PER ESCE BAIT NEEDLES - AIGUILLES À VERS

Art. 223-2/12	Ø 0,6	Lunghezza-Length	120 mm
Art. 223-2/20	Ø 0,6	Lunghezza-Length	200 mm
Art. 223-3/12	Ø 1,0	Lunghezza-Length	120 mm
Art. 223-3/20	Ø 1,0	Lunghezza-Length	200 mm

acciaio inox
stainless steel
acier inox

BUSTA DA 2 PEZZI - CONFEZIONE DA 10 BUSTE
2 PIECES PER BAG - PACK SIZE 10 BAGS


Art. 550	Ø 0,8	Lunghezza-Length	200 mm
	Ø 0,8	Lunghezza-Length	300 mm

BUSTA DA 5 PZ. - CONF. DA 10 BUSTE
5 PIECES PER BAG - PACK SIZE 10 BAGS

RED POINT NEEDLES

Art. 454	Ø 1,0	Lunghezza-Length	150 mm
	Ø 1,0	Lunghezza-Length	200 mm
Art. 455	Ø 1,0	Lunghezza-Length	300 mm


BUSTA DA 5 PZ. - CONF. DA 10 BUSTE
5 PIECES PER BAG - PACK SIZE 10 BAGS



article serial 712
Stainless steel twin needle,
perfect for baiting on the hook of sardines,
mussels, prawns, razor clams, etc.
The distance between the needles
can be adjusted from 5 to 15 mm
allowing the use of baits of various sizes.

1 per bag, pack size 10 bags.

Especially for
Boat Fishing
Surfcasting





RYOBI NCRT
RYOBI'S ULTRA LIGHT CARBON TECHNOLOGY



FEATURES

- **7 Bearing System**
 - 6 Stainless Steel Ball Bearings including 2 Japanese
 - 1 Stainless Steel Roller bearing
- Anti Twist NCRT Rotor
- Super Sealed Aluminium Body
- 5.5 mm Stainless Steel Main Shaft with Bronze Captive Nut (Spool Supporter)
- CNC Aluminium Diamond grooved Spool
- Extra strong Waterproof Carbon Drag System
- Permanent Infinite Anti Reverse
- Screwed CNC Aluminium Folding Handle
- Extra large Soft Rubber Handle Knob
- G-Stopper Ball
- Spring Loaded Metal Line Clip

RYOBI FISHING SAFARI is a robust saltwater reel with bronze reinforced stainless steel main shaft.

The entire body is sealed (Super Sealed Body) so the RYOBI FISHING SAFARI can be immersed one meter deep into the water for up to one hour without water getting into the gear system. The large rubber handle knob will even in cold temperatures sit comfortably in your hands. The permanent infinite anti reverse systems ensures maximum sturdiness.

More and more powerful braided lines make it possible to use smaller and smaller reels. With the RYOBI FISHING SAFARI we offer a reel that can withstand these

strains without sacrificing the premium performance characteristics.

By the way - due to its great robustness, the RYOBI FISHING SAFARI is also an outstanding reel for all kinds of catfish fishing.

Model	Item No.	Line capacity	Line	Gear Ratio	Line retrieve*	Weight	Drag Power	Breakstrength
4500	1D-A 872-040	300 m 180 m	0,25 mm 0,30 mm	1 : 5,0	7,5 kg	80 cm	300 g	11 kg
5500	1D-A 872-050	220 m 170 m	0,30 mm 0,35 mm	1 : 5,0	9,5 kg	85 cm	310 g	12 kg
6500	1D-A 872-065	250 m 170 m	0,35 mm 0,40 mm	1 : 5,0	12 kg	90 cm	595 g	14 kg
8500	1D-A 872-085	290 m 230 m	0,35 mm 0,40 mm	1 : 5,0	14 kg	95 cm	595 g	18 kg

* per handle turn max.



SUPER SEALED BODY

The entire body is sealed. No water can invade into the gear system.



CARRETOS

ECUSIMA



RYOBI®

Big CAT



**Waterproof
Drag**

FEATURES

- 5 Bearing System
- 4 Stainless Steel Ball Bearings
- 1 Stainless Steel Taper Bearing
- CNC Milled Aluminum Grooved Spool
- Nylon and Stainless Carbon Drag System
- In-line Anti-Reverse
- Soft Rubber T-Grip
- CNC Handle
- 21-Groove Bail
- Spring Loaded Metal Line Clip



**Carbon Drag
Washer**

The RYOBI ECUSIMA BIG CAT 6500 and 9500 are top reels for heavy spin fishing for catfish and other big predators. The robust gear and oversized anti-reverse mechanism show the robustness of the RYOBI ECUSIMA BIG CAT 6500 and 9500. The reel is reduced to the essentials to withstand the toughest fishing methods. High drag power and stability of the RYOBI carbon drag!

Model	Item No.	Line capacity	Line	Gear Ratio	Line retrieve	Weight	Drag Power
6500	10-A 873-693	200 m	0.45 mm	1 : 5.2	85 cm	290 g	12 kg
9500	10-A 873-695	200 m	0.50 mm	1 : 5.6	100 cm	350 g	14 kg

*Line capacity (lb/ft)

ECUSIMA

Cx



**Carbon Drag
Washer**



HS 3000 - 4000

Model	Item No.	Line capacity	Line	Gear Ratio	Line retrieve	Weight	Drag Power
HS 3000	10-A 863-631	200 m	0.25 mm	1 : 6.1	90 cm	290 g	10 kg



FEATURES

- **6 Bearing System**
 - 5 Stainless Steel Ball Bearings
 - 1 Stainless Steel Roller Bearing
- Stainless Steel Main Shaft
- Aluminium Spool
- Infinite Anti Reverse
- Rotary Flat Oscillation System
- 2000 - 4000 with Aluminium Folding Handle
- 5000 with chrome plated Steel Folding Handle
- Line Clip



An incredible value for money reel, developed not only for braided lines but mono too!

Perfect for trout fishing, spinning, ledgering for eel and zander or for light pilk fishing, the **WFT HIGH BRAID** is an allround performer.

The 5+1 stainless steel ball bearings makes the reel incredibly smooth. The Rotary Flat Oscillation system ensures precise line lay when retrieving braid or monofilament.

Model	Item No.	Line capacity	Line	Gear Ratio	Line Retrieve*	weight
2000	1D-A 306-020	160 m	0,285 mm	1 : 5,2	70 cm	235 g
3000	1D-A 306-030	240 m	0,285 mm	1 : 5,2	80 cm	240 g
4000	1D-A 306-040	285 m	0,285 mm	1 : 5,2	85 cm	260 g
5000	1D-A 306-050	300 m	0,285 mm	1 : 5,2	90 cm	270 g

* per handle turn rate.

HIGH BRAID





CANAS

FAST



1D-B 611-240	Spin Special	2,40m	1,25m	12 - 38g	215g
--------------	--------------	-------	-------	----------	------

NEVER CRACK



1D-B 452-272	Senso Pilk	1,40m	1,25m	20 - 120g	340g
--------------	------------	-------	-------	-----------	------



18-3375-210	Tel Universal	2,10m	0,68m	30 - 60g	190g
-------------	---------------	-------	-------	----------	------



SALZMEISTER

SALZMEISTER

WFT SALZMEISTER rods combine minimum weight with best bite detection. Premium components suited perfectly to whatever you intend to fish for and including our indestructible HIGH CARBON NEVER CRACK blank. Original SeaGuide Titanium Gold Guides (under-wrapped), ABS/NYLON Stainless Steel reel seat and precise flattened down Hard-EVA handle with rubber butt cap and stunning pearl white finish. All 4 models are also available as 5-pc travel versions, with closed length less than 60 cm.

POLLACK JIGGER

POLLACK JIGGER is developed especially for saltwater spinning in-shore with smaller lures and at a high-speed retrieve. However, for this rod there is no limit regarding the size of fish!

KÖHLER JIGGER

KÖHLER JIGGER is made for saltwater fishing from small and medium sized boats with a fast lure retrieve. This rod will dominate all sizes of game fish.

COASTAL JIGGER

COASTAL JIGGER covers nearly every style of saltwater spin-

Model	Item-No.	Length	Transport Length	Casting Weight	Weight	pcs
Pollack Jigger 2-pcs	10-B 600-265	2,00 m	1,38 m	20 - 60 g	270 g	2
Köhler Jigger 2-pcs	10-B 602-265	2,00 m	1,38 m	25 - 60 g	275 g	2
Coastal Jigger 2-pcs	10-B 604-276	2,70 m	1,45 m	40 - 100 g	280 g	2
Offshore Jigger 2-pcs	10-B 606-263	2,60 m	1,38 m	80 - 120 g	310 g	2


LOOM AAL SPEZIAL

Strong composite rod, developed for ground and eel fishing. Equipped with an EVA handle, nylon/ABS reel seat and SIC guides with stainless steel frames.

Highlight of this rod are the fluorescent pigments, which will glow in total darkness. Enables you to locate the rod when the fish picks up the bait and runs and also detect bites in the darkness.



Item-No.	Length	Transport Length	Casting Weight	Weight	pcs
10-B 606-270	2,70 m	1,40 m	40 - 90 g	335 g	2 30,00





CANAS

XK-BONE SURF



Maximum casting distance and perfect bite detection. Super rod with optimized spacing of guides and a perfect action. Our new model 1D-B 968-420 is a real POWER ROD for longest casts beyond the surf. Break-proof! Carbon fiber construction with quality low rider guides. SOLID tip for perfect bite indication and placed casts.



Item No.	Length	Transport length	Casting weight	Weight	pcs	
1D-B 968-420	4,20 m	1,47 m	80 - 220 g	540 g	3	

NEW

XK-BONE HEAVY FEEDER



2-piece, short feeder rods for use under trees or the occasion when you simply don't need long rods. These rods are not only suitable for classic feeder fishing but also ideal for all types of bottom fishing, from eel to zander!

**NEW**


Item No.	Length	Transport length	Casting weight	Weight	pcs	
1D-B 948-275	2,70 m	1,40 m	<= 150g	190 g	2 + 2	
1D-B 948-305	3,00 m	1,55 m	<= 150 g	205 g	2 + 2	





CANAS

PURE CARBO POLE



PURE CARBO BOLO

XK-BONE **PURE CARBO BOLO**

The XK-BONE Pure Carbo BOLO is a very slim and not an overly stiff Bolognese rod. This rod is particularly suitable for fishing with a „long line“. The strong backbone ensures the safe landing of big fish.

**NEW****XK-BONE**

Item No.	Length	Transport length	Casting weight	Weight	pcs
NEW 1D-B 958-400	4,00 m	1,25 m	4 - 20 g	175 g	4
NEW 1D-B 958-500	5,00 m	1,26 m	4 - 20 g	240 g	5
NEW 1D-B 958-600	6,00 m	1,30 m	4 - 20 g	340 g	6
NEW 1D-B 958-700	7,00 m	1,28 m	4 - 20 g	450 g	7

NEW**XK-BONE** **PURE CARBO POLE**

100% carbon fibre, lightweight telescopic pole – perfect for fishing comfortably all day!



Item No.	Length	Transport length	Casting weight	Weight	pcs
NEW 1D-B 955-400	4,00 m	1,20 m	4 - 20 g	140 g	4
NEW 1D-B 955-500	5,00 m	1,21 m	4 - 20 g	220 g	5
NEW 1D-B 955-600	6,00 m	1,20 m	4 - 20 g	305 g	6
NEW 1D-B 955-700	7,00 m	1,22 m	4 - 20 g	440 g	7

**XK-BONE** **VERTICAL SPIN**

Light and sturdy spinning rod made for vertical spin fishing with fixed spool reels. The design ensures a constant contact with the lure and therefore perfect bite indication. Slightly larger guides helps to avoid ice freezing over the rings during wintertime.

Item No.	Length	Transport length	Casting weight	Weight	pcs
1D-B 951-190	1,90 m	1,00 m	8 - 38 g	120 g	2



1DB.960.180	CANA WFT XK-BONE SPIN LIG HT	1,80M	5-12g	
1DB.960.210	CANA WFT XK-BONE SPIN ML	2,10M	5-20g	
1DB.960.241	CANA WFT XK-BONE SPIN M	2,40M	15-40g	
1DB.960.274	CANA WFT XK-BONE SPIN H	2,70M	40-90g	
1DB.960.304	CANA WFT XK-BONE SPIN Heavy	3,00M	40-90g	





LINHAS



DYNAMIX

ROUND DYNAMIX KG YELLOW



WFT ROUND DYNAMIX KG YELLOW

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 105-008	0,08	7 kg / 16 lbs	150 / 165
1D-C 105-010	0,10	10 kg / 22 lbs	150 / 165
1D-C 105-016	0,16	14 kg / 31 lbs	150 / 165
1D-C 105-020	0,20	18 kg / 40 lbs	150 / 165
1D-C 105-025	0,25	23 kg / 51 lbs	150 / 165
1D-C 106-008	0,08	7 kg / 16 lbs	300 / 330
1D-C 106-010	0,10	10 kg / 22 lbs	300 / 330
1D-C 106-016	0,16	14 kg / 31 lbs	300 / 330
1D-C 106-020	0,20	18 kg / 40 lbs	300 / 330
1D-C 106-025	0,25	23 kg / 51 lbs	300 / 330
1D-C 106-030	0,30	26 kg / 58 lbs	300 / 330
1D-C 106-035	0,35	32 kg / 71 lbs	300 / 330
1D-C 107-016	0,16	14 kg / 31 lbs	600 / 656
1D-C 107-020	0,20	18 kg / 40 lbs	600 / 656
1D-C 107-025	0,25	23 kg / 51 lbs	600 / 656
1D-C 107-030	0,30	26 kg / 58 lbs	600 / 656
1D-C 107-035	0,35	32 kg / 71 lbs	600 / 656



DYNAMIX

ROUND DYNAMIX KG MULTICOLOR

Farbwechsel bei den Durchmessern 0,10, 0,16 und 0,20 mm = 5 x 10 m: blau, rot, gelb, grün, weiß.

Exakt alle 25 m wechselt die Farbe dieser Schnur bei den Durchmessern 0,25, 0,30 und 0,35: blau, rot, gelb, grün.

Nach 4 bzw. 5 Farbwechseln wiederholt sich diese Reihenfolge. So können Sie durch Beobachtung der Farben der abgelaufenen Schnur ziemlich genau auf die Wurfweite, Wassertiefe oder die noch auf der Rolle befindliche Schnurreserve rückschließen.

ROUND DYNAMIX KG MULTICOLOR

Art.-Nr.	Ø mm	lin. Tragkraft	Laufänge m / yds
1D-C 125-010	0,10	10 kg / 22 lbs	300 / 330
1D-C 125-016	0,16	14 kg / 31 lbs	300 / 330
1D-C 125-020	0,20	18 kg / 40 lbs	300 / 330
1D-C 125-025	0,25	23 kg / 51 lbs	300 / 330
1D-C 125-030	0,30	26 kg / 58 lbs	300 / 330
1D-C 125-035	0,35	32 kg / 71 lbs	300 / 330

DYNAMIX

ROUND DYNAMIX KG MOSS GREEN

A very precise braided high-performance line. Tightly braided and a perfect colour. Developed for all styles of spin fishing in fresh and saltwater. Bigger sizes are perfect for deep sea fishing.

The round profile ensures low pressure on drift, lays perfectly on the spool and is very easy to cast. Millions of spools of WFT ROUND DYNAMIX KGs has been sold in 50 countries all over the world!



WFT ROUND DYNAMIX KG MOSS GREEN

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 100-008	0,08	7 kg / 16 lbs	150 / 165
1D-C 100-010	0,10	10 kg / 22 lbs	150 / 165
1D-C 100-016	0,16	14 kg / 31 lbs	150 / 165
1D-C 100-020	0,20	18 kg / 40 lbs	150 / 165
1D-C 100-025	0,25	23 kg / 51 lbs	150 / 165
1D-C 101-008	0,08	7 kg / 16 lbs	300 / 330
1D-C 101-010	0,10	10 kg / 22 lbs	300 / 330
1D-C 101-016	0,16	14 kg / 31 lbs	300 / 330
1D-C 101-020	0,20	18 kg / 40 lbs	300 / 330
1D-C 101-025	0,25	23 kg / 51 lbs	300 / 330
1D-C 101-030	0,30	26 kg / 58 lbs	300 / 330
1D-C 101-035	0,35	32 kg / 71 lbs	300 / 330





TARGETFISH 8

Our 8 strand round-braided fishing line, The WFT TARGETFISH 8 is particularly attuned to certain species and fishing conditions.

Thanks to the 8 strands TF8 is incredibly supple without being too soft. It glides silently through the guides. This braid

achieves maximum casting distances and superb strike detection because of its low water-absorption.

Despite its comparatively low price the TF8 has high scores in respects of colour fastness, knot strength and abrasion resistance.

TARGETFISH 8 PILK

The WFT TARGETFISH 8 is developed for light to medium pilk fishing. The yellow color ensures optimum control. This is especially important when several anglers are fishing in tight corners from the same boat.

TARGETFISH 8 KARPEN/CARP

Black lines have proved their worth over years in carp fishing. The WFT TARGETFISH 8 offers optimal casting features as well. And „black“ just looks good on any reel.

TARGETFISH 8 AAL/EEL

Very inconspicuously coloured line for groundfishing for eels and zander. Smooth but strong.

TARGETFISH 8 FORELLE/SEA TROUT

This semi-transparent braided line has its particular advantages when you're fishing close to the surface, in sea-trout-fishing, every little detail counts to be successful.

WFT TARGETFISH 8 PILK YELLOW

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 452-015	0,15	12 kg / 26 lbs	220 / 240
1D-C 452-018	0,18	16 kg / 35 lbs	220 / 240
1D-C 452-022	0,22	20 kg / 44 lbs	220 / 240
1D-C 454-015	0,15	12 kg / 26 lbs	2000 / 2180
1D-C 454-018	0,18	16 kg / 35 lbs	2000 / 2180
1D-C 454-022	0,22	20 kg / 44 lbs	2000 / 2180

WFT TARGETFISH 8 KARPEN / CARP BLACK

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 440-018	0,18	13 kg / 29 lbs	300 / 328
1D-C 440-022	0,22	20 kg / 44 lbs	300 / 328
1D-C 442-018	0,18	13 kg / 29 lbs	2000 / 2180
1D-C 442-022	0,22	20 kg / 44 lbs	2000 / 2180

WFT TARGETFISH 8 AAL / EEL BROWN

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 436-012	0,12	9 kg / 20 lbs	150 / 174
1D-C 436-018	0,18	14 kg / 31 lbs	150 / 174
1D-C 438-012	0,12	9 kg / 20 lbs	2000 / 2180
1D-C 438-018	0,18	14 kg / 31 lbs	2000 / 2180

WFT TARGETFISH 8 FORELLE / SEA TROUT TRANS

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 464-008	0,08	3,5 kg / 8 lbs	150 / 164
1D-C 464-009	0,09	5 kg / 11 lbs	180 / 197
1D-C 464-010	0,10	7 kg / 15 lbs	180 / 197
1D-C 464-012	0,12	9 kg / 18 lbs	180 / 197
1D-C 464-015	0,15	12 kg / 26 lbs	180 / 197
1D-C 466-008	0,08	3,5 kg / 8 lbs	1000 / 1750
1D-C 466-009	0,09	5 kg / 11 lbs	2000 / 2180
1D-C 466-010	0,10	7 kg / 15 lbs	2000 / 2180
1D-C 466-012	0,12	9 kg / 18 lbs	2000 / 2180
1D-C 466-015	0,15	12 kg / 26 lbs	2000 / 2180



WFT TARGETFISH 8 PREDATOR CHARTREUSE

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 420-008	0,08	6 kg / 13 lbs	150 / 164
1D-C 420-010	0,10	7 kg / 15 lbs	150 / 164
1D-C 420-012	0,12	9 kg / 18 lbs	150 / 164
1D-C 420-015	0,15	12 kg / 22 lbs	150 / 164
1D-C 420-018	0,18	16 kg / 26 lbs	150 / 164
1D-C 420-020	0,20	18 kg / 40 lbs	150 / 164
1D-C 420-022	0,22	20 kg / 44 lbs	150 / 164
1D-C 422-008	0,08	6 kg / 13 lbs	2000 / 2180
1D-C 422-010	0,10	7 kg / 15 lbs	2000 / 2180
1D-C 422-012	0,12	9 kg / 18 lbs	2000 / 2180
1D-C 422-015	0,15	12 kg / 22 lbs	2000 / 2180
1D-C 422-018	0,18	16 kg / 26 lbs	2000 / 2180
1D-C 422-020	0,20	18 kg / 40 lbs	2000 / 2180
1D-C 422-022	0,22	20 kg / 44 lbs	2000 / 2180

WFT TARGETFISH 8 SURF & DEEP SEA MULTICOLOR

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 460-020	0,20	18 kg / 40 lbs	300 / 328
1D-C 460-025	0,25	24 kg / 53 lbs	300 / 328
1D-C 460-030	0,30	28 kg / 62 lbs	300 / 328
1D-C 462-020	0,20	18 kg / 40 lbs	2000 / 2180
1D-C 462-025	0,25	24 kg / 53 lbs	2000 / 2180
1D-C 462-030	0,30	28 kg / 62 lbs	2000 / 2180

WFT TARGETFISH 8 HECHT/PIKE GREEN

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 424-012	0,12	9 kg / 20 lbs	150 / 164
1D-C 424-015	0,15	12 kg / 22 lbs	150 / 164
1D-C 424-018	0,18	14 kg / 31 lbs	150 / 164
1D-C 424-020	0,20	16 kg / 35 lbs	150 / 164
1D-C 424-022	0,22	20 kg / 44 lbs	150 / 164
1D-C 426-012	0,12	9 kg / 20 lbs	2000 / 2180
1D-C 426-015	0,15	12 kg / 22 lbs	2000 / 2180
1D-C 426-018	0,18	14 kg / 31 lbs	2000 / 2180
1D-C 426-020	0,20	16 kg / 35 lbs	2000 / 2180
1D-C 426-022	0,22	20 kg / 44 lbs	2000 / 2180

WFT TARGETFISH 8 BARSCH/PERCH RED

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 428-008	0,08	5 kg / 11 lbs	150 / 164
1D-C 428-010	0,10	7 kg / 15 lbs	150 / 164
1D-C 428-012	0,12	9 kg / 18 lbs	150 / 164
1D-C 430-008	0,08	5 kg / 11 lbs	2000 / 2180
1D-C 430-010	0,10	7 kg / 15 lbs	2000 / 2180
1D-C 430-012	0,12	9 kg / 18 lbs	2000 / 2180

TARGETFISH 8 RAUBFISCH / PREDATOR

A super spin fishing line for all predators. The color chartreuse offers maximum visibility, even in poor light conditions. The WFT TARGETFISH 8 glides silently through the guides.

TARGETFISH 8 SURF & DEEP SEA

Multicolor is becoming increasingly popular. Even without a line-counter you have a perfect clue in which depth you fish, how much line is still on the reel, or how far out you are fishing. With a color change of 5 x 10 m the color, with which one started, appears again after 50 m, 100 m, 150 m and so on. Ideal for deep sea and surf fishing.

TARGETFISH 8 HECHT/PIKE

The right line to catch shy pikes. Super soft, quiet in the guides and natural green.

TARGETFISH 8 BARSCH/PERCH

Red is one of the most natural colours under water. The WFT Targetfish 8 perch is extremely quiet in the guides and absorbs very little water. This enables for enormous casting distances, even with small baits. Perfect for catching shy big perch.



LINHAS



ZIELFISCH MONOFILAMENT

A special quality monofilament with accurate description for diameter and capacity. Verified perfectly for target fish by colour, stretch and running length.



Also on bulk spool



WFT ZIELFISCH PILKEN + BOOT GELB MEDIUM STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 969-040	0,40	11,8 kg / 26 lbs	250 / 273
1D-C 969-050	0,50	18,8 kg / 42 lbs	220 / 219



WFT ZIELFISCH ZANDER HELLBRAUN HIGH STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 970-025	0,25	5,8 kg / 13 lbs	500 / 547
1D-C 970-030	0,30	8,1 kg / 18 lbs	400 / 438
1D-C 970-025	0,25	5,8 kg / 13 lbs	5000 / 5470



WFT ZIELFISCH WEISSFISCH HELL OLIV HIGH STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 971-018	0,18	2,9 kg / 6 lbs	500 / 547
1D-C 971-020	0,20	3,8 kg / 8 lbs	500 / 547
1D-C 971-022	0,22	4,2 kg / 9 lbs	500 / 547



WFT ZIELFISCH WELS SCHWARZ LOW STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 972-050	0,50	18,8 kg / 42 lbs	200 / 219
1D-C 972-060	0,60	18,8 kg / 44 lbs	200 / 219



WFT ZIELFISCH HECHT GRÜN HIGH STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 964-030	0,30	8,1 kg / 18 lbs	400 / 438
1D-C 964-035	0,35	10,4 kg / 23 lbs	300 / 330
1D-C 964-040	0,40	12,5 kg / 28 lbs	250 / 273
1D-C 964-030	0,30	8,1 kg / 18 lbs	5000 / 5470



WFT ZIELFISCH AAL DUNKELBRAUN LOW STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 965-030	0,30	8,0 kg / 18 lbs	400 / 438
1D-C 965-035	0,35	10,3 kg / 23 lbs	300 / 330
1D-C 965-040	0,40	12,0 kg / 27 lbs	200 / 273



WFT ZIELFISCH KARPFFEN DUNKELGRAU HIGH STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 966-028	0,28	7,2 kg / 16 lbs	400 / 438
1D-C 966-030	0,30	8,0 kg / 18 lbs	400 / 438
1D-C 966-035	0,35	10,4 kg / 23 lbs	300 / 330
1D-C 966-030	0,30	8,0 kg / 18 lbs	5000 / 5470



WFT ZIELFISCH BRANDUNG GELB MEDIUM STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 967-035	0,35	10,3 kg / 23 lbs	300 / 330
1D-C 967-040	0,40	11,5 kg / 26 lbs	250 / 273



WFT ZIELFISCH FORELLE KLAR HIGH STRETCH

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 968-018	0,18	2,9 kg / 6 lbs	500 / 547
1D-C 968-020	0,20	3,8 kg / 8 lbs	500 / 547
1D-C 968-022	0,22	4,2 kg / 9 lbs	500 / 547
1D-C 968-025	0,25	5,7 kg / 13 lbs	500 / 547
1D-C 968-025	0,25	5,7 kg / 13 lbs	5000 / 5470





LINHAS



TAPER LEADER

5 x 15 m crystal clear leaders on one spool.

These leaders can be easily knotted to your monofilament or braid main line. The WFT TAPER LEADERS were developed for surf fishing. Crystal clear, very supple and abrasion-resistant, gradually tapered before getting to 0,57mm.

Without any knots this allows for maximum casting power and distance. Depending on the diameter, the WFT TAPER LEADER is also suitable for carp and feeder fishing.



**MONO KG
LINE**

WFT TAPER LEADER

Item-No.	Ø mm	Length m / yds
1D-C 997-020	0,20 - 0,57	5 x 15 / 16,4
1D-C 997-023	0,23 - 0,57	5 x 15 / 16,4
1D-C 997-026	0,26 - 0,57	5 x 15 / 16,4
1D-C 997-028	0,28 - 0,57	5 x 15 / 16,4
1D-C 997-030	0,30 - 0,57	5 x 15 / 16,4
1D-C 997-035	0,35 - 0,57	5 x 15 / 16,4

TAPER LINE

WFT TAPER LINE is designed for surf fishing. This line is crystal clear, very supple and abrasion-resistant, gradually tapered on the last 15 meters before getting to 0,57 mm.

Without any knots this allows for maximum casting power and distance. Depending on the diameter, the WFT TAPER LINE is also suitable for carp and feeder fishing.



WFT TAPER LINE

Item-No.	Ø mm	Length m / yds
1D-C 999-020	0,20 - 0,57	240 / 262
1D-C 999-023	0,23 - 0,57	240 / 262
1D-C 999-026	0,26 - 0,57	240 / 262
1D-C 999-028	0,28 - 0,57	240 / 262
1D-C 999-030	0,30 - 0,57	240 / 262
1D-C 999-035	0,35 - 0,57	240 / 262

TROUT MONO

This high-performance monofilament has been specially developed for trout fishing. The line is crystal clear and almost invisible in the water. The mono has a particularly good knot strength and suppleness, which is second to none and will set new standards. With the WFT TROUT MONO you have mono that does not spook the fish, perfect for casting at distance, less resistance when the trout takes line from the reel and also a line with optimised stretching characteristics to land the fish safely.



WFT TROUT MONO

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 990-012	0,12	2,5 kg / 5,5 lbs	200 / 219
1D-C 990-014	0,14	2,8 kg / 6,3 lbs	200 / 219
1D-C 990-016	0,16	3,4 kg / 7,5 lbs	200 / 219
1D-C 990-018	0,18	4,5 kg / 10,0 lbs	200 / 219
1D-C 990-020	0,20	4,9 kg / 10,8 lbs	200 / 219
1D-C 990-022	0,22	6,5 kg / 14,3 lbs	200 / 219
1D-C 990-025	0,25	7,1 kg / 15,6 lbs	200 / 219
1D-C 990-028	0,28	8,0 kg / 17,6 lbs	200 / 219
1D-C 992-012	0,12	2,5 kg / 5,5 lbs	3000 / 3280
1D-C 992-014	0,14	2,8 kg / 6,3 lbs	3000 / 3280
1D-C 992-016	0,16	3,4 kg / 7,5 lbs	3000 / 3280
1D-C 992-018	0,18	4,5 kg / 10,0 lbs	3000 / 3280
1D-C 992-020	0,20	4,9 kg / 10,8 lbs	3000 / 3280
1D-C 992-022	0,22	6,5 kg / 14,3 lbs	3000 / 3280
1D-C 992-025	0,25	7,1 kg / 15,6 lbs	3000 / 3280
1D-C 992-028	0,28	8,0 kg / 17,6 lbs	3000 / 3280



LINHAS




PLASMA MULTI COLOR

An exceptional advantage for all kind of angling is dependant on lots of running line, for example when surfcasting or deep sea angling. Multicoloured braid in equal colour lengths make it easier to track the distance you're fishing at and how much line must be retrieved. By request of many sea anglers the WFT PLASMA KG is available in a multicolor version and also in lengths of 330 yds.

Color change is every 10 meters (blue-green-yellow-red-orange).

So each color is repeated after every 50 meters!



WFT KG PLASMA MULTICOLOR

Item-No.	Ø mm	Breaking Strength	Length m / yds
1D-C 614-014	0,14	18 kg / 40 lbs	300 / 330
1D-C 614-018	0,18	22 kg / 49 lbs	300 / 330
1D-C 614-022	0,22	27 kg / 59 lbs	300 / 330
1D-C 614-026	0,26	31 kg / 68 lbs	300 / 330
1D-C 615-018	0,18	22 kg / 49 lbs	600 / 650
1D-C 615-022	0,22	27 kg / 59 lbs	600 / 650
1D-C 615-026	0,26	31 kg / 68 lbs	600 / 650
1D-C 615-031	0,31	36 kg / 80 lbs	600 / 650
1D-C 615-036	0,36	40 kg / 88 lbs	600 / 650
1D-C 617-010	0,10	12 kg / 26 lbs	3000 / 3280
1D-C 617-012	0,12	14 kg / 31 lbs	3000 / 3280
1D-C 617-014	0,14	16 kg / 35 lbs	3000 / 3280
1D-C 617-018	0,18	22 kg / 49 lbs	3000 / 3280
1D-C 617-022	0,22	27 kg / 59 lbs	3000 / 3280
1D-C 617-026	0,26	31 kg / 68 lbs	3000 / 3280
1D-C 617-031	0,31	36 kg / 80 lbs	3000 / 3280
1D-C 617-036	0,36	40 kg / 88 lbs	3000 / 3280

100% HMPE FIBRE JAPAN



MULTICOOLER



PUMP ATTACHMENT

Fixed clip on the box to store the WFT MULTICOOLER air pump for transport.



FEEDTHROUGH

Custom-fit feedthrough for the air pump hose.



Accessories not included



TIP: OPTIMALER PROTECTION
Cold temperatures can drain your batteries and lower the efficiency. By the use of the efficient isolation of the WFT MULTICOOLER your battery will stay perfectly protected. The built in valve takes care of the pressure relief.



ALWAYS SAFE

The feedthrough for the hose of the oxygen pump can be closed with the captive plug. It also takes the pressure relief on air travel.



PLASTIC GRATING

12 mm high, filets do not sit in the wet!

Grating for 12 L Cooler

Item-No.: 1D-F 930-012

Grating for 18 L Cooler

Item-No.: 1D-F 930-018



MULTICOOLER

Item-No.	Colour	Capacity	Outside cm	Inside cm	Weight kg	Rod holders
1D-F 920-012	grün	12 L	38 x 25 x 27	30 x 19 x 21	2,5	-
1D-F 920-018	grün	18 L	42 x 28 x 33	32 x 20 x 25	3,0	-
1D-F 924-018	schwarz	18 L	42 x 28 x 33	33 x 20 x 25	3,0	2
1D-F 920-028	grün	28 L	49 x 32 x 37	42 x 24 x 29	3,8	-



MULTICOOLER 18L BLACK

The 18L WFT MULTICOOLER comes with 2 or 4 robust built in rod holders for easy transport of rigged rods, it can also be used for safe rod storage when on a boat.

Clip and feedthrough for air pump included.



GRILON® TOP FLEX



Linha produzida em copolímero de nylon que garant harmonia entre manuseio, resistência e transparência, aditivada por anti - UV. Ideal para confecções de redes, tarrafas e varas sem passadores (caniço).

mm	0,35	0,40	0,45	EUR
kgf	6,8	9,1	11,4	
100g (m aprox.)	820	636		
250g (m aprox.)	2050	1590	1270	

- Linha extremamente flexível
- Macia
- Resistente à tração
- Transparente
- Resistente à abrasão

ARATY® SUPREMA LONG LINE



mm	0,80	1,00	1,20
kgf	31,4	45,0	56,0
m	100	100	100
EUR	1,70	2,50	2,90

Cores Disponíveis:

- Natural White



DOURADO® PREMIUM



Linha em copolímero de nylon que possui as propriedades necessárias para atender a pescadores amadores e profissionais, na confecção e reparo de redes ou ainda, na pesca esportiva. Apresenta o melhor custo-benefício do melhor de linhas.

mm	0,25	0,30	0,35	0,40	0,45	0,50	0,60	0,70	0,80	0,90
kgf	3,6	4,8	6,0	7,8	9,8	12,0	17,0	22,0	28,1	34,0
m	100	100	100	100	100	100	100	100	100	100
EUR	0,90	1,00	1,20	1,30					2,70	3,50





Linha esportiva ARATY® BEST CAST



I.G.F.A Class

A linha Araty Best Cast é a melhor opção para quem pesca com iscas artificiais. A baixa memória permite movimentos ágeis e, ao mesmo tempo, combina a sensibilidade e a elasticidade para o pescador fisgar no momento certo e lutar com o peixe. Best Cast foi elaborada para uso em carretilhas, com ampla gama de diâmetros e cores. Para os que se orgulham da técnica e gostam de reproduzir as condições de torneios, **Best Cast tem resistência de acordo com as normas IGFA** International Game Fish Association.


mm	0,20	0,25	0,30	0,35	0,40
kg	3,2	4,9	6,7	8,5	11,0
IGFA	8,0	12,0	16,0	20,0	30,0
m	300	300	300	300	300

- Baixa memória
- I.G.F.A Class
- Alta maciez
- Elevada resistência à ruptura

Linha esportiva ARATY® RED SPIDER



A linha Araty Red Spider é elaborada com um copolímero de nylon Premium. Sua coloração vermelha uma vez imersa começa a se tornar invisível para os peixes. Isso acontece porque a água filtra algumas cores mais rapidamente que outras, e a primeira cor a ser totalmente filtrada é a vermelha.



- Maior durabilidade
- Elevada resistência
- Baixo índice de alongamento
- Resistente à abrasão
- Macia

mm	0,25	0,30	0,35
kg	4,7	6,6	8,5
m	300	300	300



REDE ARATY®RELAX




Título do fio line title título del hilo	Dist. entre os nós mesh size distancia entre nudo	Malhas de altura meshes in height mallas altas	Comprimento length largo	Largura width ancho
210/018	18	144	3,4mts	2,7mts



Cores Disponíveis:

- Verde Militar
Military
Verde militar
- Azul
Blue
Azul
- Vermelho
Red
Rojo



ANTI-TRANSPIRAÇÃO



ALÇA REGULADORA